



CELSI
...the future of fire



PREMIUM ELECTRIC FIRES COLLECTION

CONTENTS

PURAFLAME®



Puraflame Introduction	page 5
Puraflame Functionality at Your Fingertips	page 6
Puraflame Panoramic	page 7
Puraflame Curved	page 8
Puraflame Camber	page 9

PURASTOVE® & ELECTRISTOVE®



Stoves Introduction	page 10
Purastove Glass 2	page 11
Electr stove XD Metal 1 & 2	page 12
Electr stove XD Glass 1 & 2	page 13

ELECTRIFLAME® XD



Electriflame XD Introduction	page 14
Electriflame XD Decadence	page 15
Electriflame XD Camber	page 16
Electriflame XD Arcadia	page 17
Electriflame XD Essence	page 18
Electriflame XD Portrait	page 19
Electriflame XD Landscape	page 20
Electriflame XD Lynx Suite	page 21
Electriflame XD Omega Suite	page 22

ELECTRIFLAME®



Electrifiame Introduction	page 23
Electrifiame Lamela	page 24
Electrifiame Modern	page 25
Electrifiame Opulence	page 26
Electrifiame Caress	page 27
Electrifiame Daisy	page 28
Electrifiame Bauhaus	page 29
Electrifiame Royale 16" & 22"	page 30
Electrifiame Oxford	page 31
Electrifiame Oxford 22" Hearth	page 32
Electrifiame Camber 22"	page 33
Electrifiame Oxford Wall Mounted	page 34
Electrifiame Royal Botticino	page 35
Electrifiame Prestige Brown	page 36
Electrifiame Basalt Granite	Page 37
Electrifiame Travertine	page 38
Electrifiame Ivory	Page 39
Electrifiame Piano Black	Page 40
Electrifiame Black Glass	Page 41
Electrifiame Curved Black Glass	Page 42

ELECTRIC OUTSETS



Electric Outlet Range Introduction	page 43
Strata Electric	page 44
Misermatic Electric	page 45
Renaissance Electric	page 46

ACCENT & FLAMONIK



Accent & Flamonik Introduction	page 47
Flamonik Rapture	page 48
Flamonik Enchant	page 49
Accent Traditional	page 50
Accent Infusion	page 51

FIRE SURROUNDS

Fire Surround Introduction	page 52
Nova & Rubi	Page 53
Amor & Arria	Page 54

WELCOME TO CELSI

At Celsi we know how important it is to create a stylish and relaxing living environment. That's why we've developed this collection of premium electric fires.

I believe our success stems from a combination of innovative design, investment in technology and the highest quality manufacturing standards. As a result all Celsi heaters carry a 2 year guarantee to reflect my belief in their quality and durability.

This brochure has been designed to make the purchase of your new Celsi heater as simple as possible. I hope you find it both informative and inspiring.



Michael Jones

THERE IS NO MORE VERSATILE FUEL FOR HOME HEATING THAN ELECTRICITY

With a choice ranging from highly chic wall mounted 'hang-on-the-wall' fires, to classically designed hearth mounted fires, there is a Celsi design to suit any home. Best of all you are free to enjoy any of these fantastic heating appliances in any room in your home simply by plugging into the nearest mains socket.

A Celsi electric fire will be the heart of your home all year round. Every fire in the range has a 'flame picture' only setting. Unlike gas or solid fuel fires, this allows you to enjoy an atmospheric glow even when it is too warm to turn on the heat.

If you would like to learn more about the many benefits of owning a Celsi electric fire please sit back and take a few minutes to look through the fantastic range of appliances.



We are confident you are getting a product that is built to last. That's why we offer a 2 Year Guarantee on all Celsi electric fires.



PURAFLEAME® RANGE

Combining style with innovation, the Puraflame® range of electric fires is the ultimate in high technology, and gives you the most convincing real fire effect available today.

A Puraflame® electric heater is extremely versatile and creates a breathtaking feature virtually anywhere in your home, from your lounge to your bedroom. Using LCD technology Puraflame® is the only electric fire to give you the astonishing look and sound of a real fire, combined with exceptional functionality. At the touch of a button you can control your room temperature, flame picture, flame speed, volume and brightness. Read more about this amazing functionality opposite.

Celsi Puraflame® is not just a fireplace.
It's an experience.

Shhhh... Listen...

PURAFLEAME® is the
quietest fire available*
on the market

* 'flame only' setting



CELSI PURAFLAME® & PURASTOVE® THE MOST FUNCTIONAL ELECTRIC FIRES & STOVES ON THE MARKET

FLAME PICTURES

Celsi has patented some of the most advanced technologies to create the most sophisticated and realistic fire effect in the world. Every Puraflame fire has been designed to give the appearance of outstanding depth along with an amazing 3D effect, and comes with a selection of real fire effects to choose from.



SMOULDERING LOG
Available on all models



BLAZING LOG
Available on all models



FLAMING COAL
Available on Puraflame Curved & Panoramic & Purastove models



GLOWING COAL
Available on Puraflame Camber & Puraflame Oxford

FLAME SPEED

You may prefer a slow and calming flame or a quick and spellbinding flicker. With a choice of 5 flame speeds you can speed up or slow down each of the real fire movies.



FIRE VOLUME

There's nothing more soothing than the authentic crackle of a real log fire. Lower the volume for a more subtle result or crank it up for full effect. There is also a mute button to silence the sound effect when you need to. When on 'flame only' setting, Puraflame is the quietest fire on the market.



MOOD LIGHTING

The mood lighting feature creates a calming ambience around the heater. A choice of 3 colours: white, amber and blue, lets you highlight the fire to suit your mood. This is only available on the Curved and Panoramic models and can be turned off if not required.



WHITE



BLUE




AMBER



OFF

PICTURE BRIGHTNESS

Natural daylight or artificial lamplight can have a big impact on how you see the flame picture. We have included this brightness function to allow you the option to increase or dim the screen brightness to suit you and your environment.



SLEEP TIMER

An extremely practical function. The sleep timer can be used to automatically turn the heater to standby mode after a predetermined amount of time. Great if you want to doze off and not worry about turning the fire off once you have fallen asleep. The timer can be set for up to a maximum of 4 hours in 30 minute intervals and once this time has elapsed the appliance will automatically go into standby.



TEMPERATURE

The fan heater can be operated in manual or automatic mode. When in manual mode you can use the heat button on the remote handset to select low heat, high heat or heat off.

To eliminate the hassle of constantly manually adjusting the heat output, every Puraflame fire features a state-of-the-art, digitally controlled thermostat. Use the temperature function to turn on automatic heat mode. You can pre-select your comfort level and the heater will automatically adjust between high heat and off, maintaining the room temperature you have selected.



FUNCTIONALITY AT YOUR FINGERTIPS




PURAFLAME® PANORAMIC with blazing log flame picture

PURAFLAME® PANORAMIC

- 3 Realistic Flame Movies
- 5 Flame Speed settings
- Real Fire Sounds with 5 volume levels
- Up to 2kW heat output
- Programmable Thermostatic Heat Control
- Mood Lighting with choice of 3 colours
- Sleep Timer with 9 settings
- Adjustable screen brightness
- Stylish black glass fascia
- One of the quietest fires available on flame only setting
- 2 Year Guarantee

Dimensions (H x W x D)	400mm x 1080mm x 105mm
Heat Output – High	2kW
Heat Output - Low	1kW
Safety	Thermal cut out
Remote Control	Yes
Electronic Digital Thermostat	Yes
Mood Lighting	Yes
Flame Options	Smouldering Log Blazing Log Flaming Coal



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.






PURAFLEAME® CURVED

- 3 Realistic Flame Movies
- 5 Flame Speed settings
- Real Fire Sounds with 5 volume levels
- Up to 2kW heat output
- Programmable Thermostatic Heat Control
- Mood Lighting with choice of 3 colours
- Sleep Timer with 9 settings
- Adjustable screen brightness
- Stylish black glass fascia
- One of the quietest fires available on flame only setting
- 2 Year Guarantee

Dimensions (H x W x D)	505mm x 980mm x 135mm
Heat Output – High	2kW
Heat Output - Low	1kW
Safety	Thermal cut out
Remote Control	Yes
Electronic Digital Thermostat	Yes
Mood Lighting	Yes
Flame Options	Smouldering Log Blazing Log Flaming Coal



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.






PURAFLAME® CAMBER with blazing log flame picture

PURAFLAME® CAMBER

- 3 Realistic Flame Movies
- 5 Flame Speed settings
- Real Fire Sounds with 5 volume levels
- Up to 1.8kW heat output
- Programmable Thermostatic Heat Control
- Sleep Timer with 9 settings
- Adjustable screen brightness
- Contemporary satin silver fascia
- One of the quietest fires available on flame only setting
- 2 Year Guarantee

Dimensions (H x W x D)	685mm x 615mm x 75mm inset + 120mm fascia
Heat Output – High	1.8kW
Heat Output – Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes
Electronic Digital Thermostat	Yes
Flame Options	Smouldering Log Blazing Log Glowing Coal



PURASTOVE® & ELECTRISTOVE®

Celsi Electric Stoves boast a solid steel body typical of free standing stoves, combined with contemporary looks and forward thinking technology.

The Purastove LCD electric Stove features a contemporary glass fascia and uses state-of-the-art technology to create the most realistic fire effect available today. With a choice of three flame pictures and much more on offer – the Celsi Puraflame is the most functional electric fire effect in the world. See page 6 for more information.

The Electristory XD uses improved technology to create a stunning extra deep fuel bed and high definition flame picture. Sit back and relax as the vibrant new Electristory XD 3D flame effect, smouldering fuel bed and soothing heat output create an atmospheric and highly realistic experience.



ELECTRISTOVE® XD GLASS 2

PURASTOVE® GLASS 2

- 3 Realistic Flame Movies
- 5 Flame Speed settings
- Real Fire Sounds with 5 volume levels
- Up to 2kW heat output
- Programmable Thermostatic Heat Control
- Sleep Timer with 9 settings
- Adjustable screen brightness
- Contemporary Glass Fascia and top
- One of the quietest fires available on flame only setting
- 2 Year Guarantee


Dimensions (H x W x D)	591mm x 524mm x 295mm
Heat Output – High	2.0kW
Heat Output - Low	1.0kW
Safety	Thermal cut out
Remote Control	Yes



SMOULDERING LOG
EFFECT



FLAMING COAL
EFFECT



Watch the video

PURASTOVE® GLASS 2 with Blazing log effect




Watch the video

ELECTRISTOVE®XD METAL

- Strong steel body
- Advanced Electriflame XD 3D Technology to create an extra deep flame effect
- Relaxing, smoky, full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Available in two different sizes

	ELECTRISTOVE®XD METAL 1	ELECTRISTOVE®XD METAL 2
Dimensions (H x W x D)	579mm x 430mm x 332mm	587mm x 524mm x 295mm
Heat Output – High	2.0kW	2.0kW
Heat Output - Low	1.0kW	1.0kW
Safety	Thermal cut out	Thermal cut out
Remote Control	Yes	Yes
Available finishes	Black	Black



ELECTRISTOVE®XD METAL 1




Watch the video

ELECTRISTOVE®XD GLASS

- Strong steel body
- Highly contemporary Glass door
- Advanced Electrifiame XD 3D Technology to create an extra deep flame effect
- Relaxing, smoky, full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls

Dimensions (H x W x D)	ELECTRISTOVE®XD GLASS 1	ELECTRISTOVE®XD GLASS 2
	583mm x 430mm x 334mm	591mm x 524mm x 295mm
Heat Output – High	2.0kW	2.0kW
Heat Output - Low	1.0kW	1.0kW
Safety	Thermal cut out	Thermal cut out
Remote Control	Yes	Yes
Available finishes	Black	Black



ELECTRISTOVE®XD
GLASS 2



Watch the video



ELECTRISTOVE®XD GLASS 1



Watch the video

ELECTRIFLAME®XD RANGE

The Celsi Electrifiame XD Range uses improved technology to create a stunning extra deep fuel bed and high definition flame picture. Sit back and relax as the vibrant new 3D flame effect, smouldering fuel bed and soothing heat output creates an atmospheric and highly realistic experience.



Extra Deep 3D Effect

Electrifiame XD comes with two heat levels and a variable flame dimmer with a new random glow fuel bed setting. All this can be operated via the remote control handset or using the manual controls on the appliance.



ELECTRIFLAME®XD DECADEENCE

- Solid Cast Iron Fascia
- Advanced 3D Technology to create an extra deep 3D effect
- Relaxing, smoky, full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- Available in a choice of three colours; Silver, Gold and Black Nickel




ELECTRIFLAME®XD DECADEENCE in Silver



ELECTRIFLAME®XD DECADEENCE in Black Nickel

Dimensions (H x W x D)	630mm x 529mm x 63mm inset + 110mm fascia and spacer
Heat Output – High	1.8kW
Heat Output – Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Silver, Gold and Black Nickel



Watch the video



Watch the video

ELECTRIFLAME®XD CAMBER

- Advanced 3D Technology to create an extra deep 3D effect
- Relaxing, smoky, full depth flame effect
- Low cost, high efficiency LED lighting
- LED decorative lights embedded in the fascia
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- Available in a choice of three colours; Silver, Champagne, or Black




ELECTRIFLAME®XD CAMBER in Champagne



ELECTRIFLAME®XD CAMBER in Black

Dimensions (H x W x D)	595mm x 490mm x 75mm inset + 35mm fascia
Heat Output - High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Silver, Champagne and Black




ELECTRIFLAME®XD ARCADIA

- Solid Cast Iron Fascia
- Advanced 3D Technology to create an extra deep 3D effect
- Relaxing, smoky, full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- Available in a choice of two colours; Silver and Gold



ELECTRIFLAME®XD
ARCADIA in Gold

Dimensions (H x W x D)	612mm x 528mm x 63mm inset + 118mm fascia and spacer
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Gold and Silver




ELECTRIFLAME®XD ARCADIA in Silver



Watch the video





ELECTRIFLAME®XD ESSENCE

- Advanced 3D Technology to create an extra deep 3D effect
- Relaxing, smoky, full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- Available in a choice of four colours; brushed silver, antique brass, satin brass or black



ELECTRIFLAME®XD ESSENCE
in Brushed Silver




ELECTRIFLAME®XD ESSENCE
in Satin Brass



ELECTRIFLAME®XD ESSENCE
in Black

Dimensions (H x W x D)	625mm x 535mm x 75mm inset + 80mm fascia
Heat Output - High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Brushed Silver, Antique Brass, Satin Brass or Black





ELECTRIFLAME®XD PORTRAIT


ELECTRIFLAME®XD PORTRAIT

- Advanced 3D technology to create an extra deep flame effect
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Optional random glow fuel bed setting

Dimensions (H x W x D)	720mm x 575mm x 150mm
Heat Output – High	2kW
Heat Output - Low	1kW
Safety	Thermal cut out
Remote Control	Yes



EXTRA DEEP 3D EFFECT



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.



ELECTRIFLAME®XD LANDSCAPE




ELECTRIFLAME®XD LANDSCAPE

- Advanced 3D technology to create an extra deep flame effect
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Optional random glow fuel bed setting

Dimensions (H x W x D)	650mm x 915mm x 133mm
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes



EXTRA DEEP 3D EFFECT



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.





Watch the video

ELECTRIFLAME®XD LYNX SUITE


ELECTRIFLAME®XD LYNX SUITE

- Top quality Royal Botticino fireplace
- Advanced 3D technology to create an extra deep flame effect
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Optional random glow fuel bed setting

Dimensions (H x W x D)	1100mm x 1000mm x 300mm
Heat Output - High	2kW
Heat Output - Low	1kW
Safety	Thermal cut out
Remote Control	Yes



EXTRA DEEP 3D EFFECT






ELECTRIFLAME®XD OMEGA SUITE

- Top quality Royal Botticino fireplace
- Advanced 3D technology to create an extra deep flame effect
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset
- Optional random glow fuel bed setting

Dimensions (H x W x D)	1050mm x 1260mm x 300mm
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes



EXTRA DEEP 3D EFFECT



ELECTRIFLAME® RANGE

Celsi Electrifiame uses advanced 3D technology to create one of the most realistic flame pictures found in any electric fire today.

Relax and enjoy the smoky, soothing flames and be amazed by the depth of the fuel effect. What's more, the high efficiency LED lights used to create the flame picture means that you benefit from low running costs too.

Electrifiame comes with a variable flame dimmer with four settings, and two heat levels, as well as a flame effect only option. All this can be operated via the remote control handset or using the manual controls on the appliance.





Watch the video


ELECTRIFLAME® LAMELA

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with three settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- A Choice of two colours; Brass and Black or Silver and Black



**ELECTRIFLAME
LAMELA**
Brass and Black

Dimensions (H x W x D)	600mm x 500mm x 75mm inset + 80mm fascia and spacer
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Brass and Black or Silver and Black




ELECTRIFLAME® MODERN

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with three settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- A choice of two colour options; brass or black



**ELECTRIFLAME
MODERN**
Brass

Dimensions (H x W x D)	595mm x 490mm x 75mm inset + 35mm fascia
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Brass or Black



Watch the video



Watch the video


ELECTRIFLAME® OPULENCE

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Traditional trim and fret available in a choice of two colours



ELECTRIFLAME OPULENCE in Silver

Dimensions (H x W x D)	607mm x 514mm x 75mm inset + 35mm fascia
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Brass or Silver




ELECTRIFLAME® CARESS

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with three settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- A choice of brass or polished silver



**ELECTRIFLAME CARESS
BAUHAUS**
in Polished Silver

Dimensions (H x W x D)	651mm x 535mm x 75mm inset + 59mm fascia
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes



ELECTRIFLAME® CARESS in Brass



Watch the video

ELECTRIFLAME® DAISY in Silver




Watch the video

ELECTRIFLAME® DAISY

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with three settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- A choice of three colour options; silver, brass or black

Dimensions (H x W x D)	595mm x 490mm x 75mm inset + 35mm fascia
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Brass, Silver or Black



ELECTRIFLAME DAISY in Brass



ELECTRIFLAME DAISY in Black

ELECTRIFLAME® BAUHAUS

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with three settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- A choice of three colour options; silver, brass or black




**ELECTRIFLAME
BAUHAUS** in Brass



**ELECTRIFLAME
BAUHAUS** in Black

Dimensions (H x W x D)	595mm x 490mm x 75mm inset + 35mm fascia
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Brass, Silver or Black



Watch the video

ELECTRIFLAME® ROYALE 16" in Brass



Watch the video

ELECTRIFLAME® ROYALE

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with three settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround
- A choice of three colour options; silver, brass or black
- Available in 16" and 22" fire widths




ELECTRIFLAME ROYALE 16" in Black



ELECTRIFLAME ROYALE 22" in Silver

	ROYALE 16"	ROYALE 22"
Dimensions (H x W x D)	595mm x 490mm x 75mm inset + 35mm fascia	595mm x 640mm x 75mm inset + 35mm fascia
Heat Output - High	1.8kW	1.5kW
Heat Output - Low	0.9kW	0.75kW
Safety	Thermal cut out	Thermal cut out
Remote Control	Yes	Yes
Available finishes	Brass, Silver or Black	Brass or Silver




ELECTRIFLAME® OXFORD

- Elegantly designed MDF fascia
- Advanced 3D Technology to create an extra deep 3D effect
- Relaxing, smoky, full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls



ELECTRIFLAME®XD
OXFORD in Brown

Dimensions (H x W x D)	595mm x 490mm x 75mm inset + 35mm fascia
Heat Output – High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Black or Brown



Watch the video

ELECTRIFLAME® OXFORD in Black


ELECTRIFLAME® OXFORD HEARTH MOUNTED 22" in Brown



ELECTRIFLAME® OXFORD 22" HEARTH MOUNTED

- Elegantly designed MDF fascia
- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer to allow the fire to fit easily into any 3" rebated surround
- Available in brown or black top quality painted finishes

Dimensions (H x W x D)	628mm x 710mm x 60mm inset + 70mm fascia
Heat Output – High	1.5kW
Heat Output - Low	0.75kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Brown or Black




Watch the video



ELECTRIFLAME® CAMBER 22"

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with three settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Supplied with a spacer and deep trim to allow the fire to fit easily into any 3" rebated surround

Dimensions (H x W x D)	615mm x 685mm x 75mm inset + 90mm fascia
Heat Output - High	1.8kW
Heat Output - Low	0.9kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Polished Silver



Watch the video

ELECTRIFLAME® CAMBER 22" in Polished Silver

ELECTRIFLAME® OXFORD WALL MOUNTED in Black



Watch the video


ELECTRIFLAME® OXFORD WALL MOUNTED

- Elegantly designed MDF fascia
- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Available in brown or black top quality painted finishes

Dimensions (H x W x D)	635mm x 710mm x 130mm outset
Heat Output – High	1.5kW
Heat Output - Low	0.75kW
Safety	Thermal cut out
Remote Control	Yes
Available Finishes	Brown or Black



ELECTRIFLAME OXFORD in Brown






ELECTRIFLAME® ROYAL BOTTICINO

**ELECTRIFLAME®
ROYAL BOTTICINO**

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Includes an easy fixing wall plate for trouble free installation

Dimensions (H x W x D)	600mm x 1100mm x 150mm
Heat Output – High	1.5kW
Heat Output - Low	0.75kW
Safety	Thermal cut out
Remote Control	Yes



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.






ELECTRIFLAME® PRESTIGE BROWN

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Includes an easy fixing wall plate for trouble free installation

Dimensions (H x W x D)	600mm x 1100mm x 150mm
Heat Output – High	1.5kW
Heat Output - Low	0.75kW
Safety	Thermal cut out
Remote Control	Yes



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.






ELECTRIFLAME® BASALT GRANITE

ELECTRIFLAME® BASALT GRANITE

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Includes an easy fixing wall plate for trouble free installation
- Available in two sizes

	BASALT GRANITE 1300	BASALT GRANITE 1100
Dimensions (H x W x D)	600mm x 1300mm x 150mm	600mm x 1100mm x 150mm
Heat Output – High	1.5kW	1.5kW
Heat Output - Low	0.75kW	0.75kW
Safety	Thermal cut out	Thermal cut out
Remote Control	Yes	Yes



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.


ELECTRIFLAME® TRAVERTINE



ELECTRIFLAME® TRAVERTINE

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Includes an easy fixing wall plate for trouble free installation
- Available in two sizes

	TRAVERTINE 1300	TRAVERTINE 1100
Dimensions (H x W x D)	600mm x 1300mm x 150mm	600mm x 1100mm x 150mm
Heat Output – High	1.5kW	1.5kW
Heat Output - Low	0.75kW	0.75kW
Safety	Thermal cut out	Thermal cut out
Remote Control	Yes	Yes



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.






ELECTRIFLAME® IVORY

ELECTRIFLAME® IVORY

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Includes an easy fixing wall plate for trouble free installation
- Available in two sizes

Dimensions (H x W x D)	PIANO IVORY 1300 600mm x 1300mm x 150mm	PIANO IVORY 1100 600mm x 1100mm x 150mm
Heat Output - High	1.5kW	1.5kW
Heat Output - Low	0.75kW	0.75kW
Safety	Thermal cut out	Thermal cut out
Remote Control	Yes	Yes



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.


ELECTRIFLAME® PIANO BLACK



ELECTRIFLAME® PIANO BLACK

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Includes an easy fixing wall plate for trouble free installation
- Available in two sizes

	PIANO BLACK 1300	PIANO BLACK 1100
Dimensions (H x W x D)	600mm x 1300mm x 150mm	600mm x 1100mm x 150mm
Heat Output – High	1.5kW	1.5kW
Heat Output - Low	0.75kW	0.75kW
Safety	Thermal cut out	Thermal cut out
Remote Control	Yes	Yes



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.





Watch the video

ELECTRIFLAME® BLACK GLASS

ELECTRIFLAME® BLACK GLASS

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Includes an easy fixing wall plate for trouble free installation
- Available in two sizes

Dimensions (H x W x D)	BLACK GLASS 1300 600mm x 1300mm x 126mm	BLACK GLASS 1100 600mm x 1100mm x 126mm
Heat Output - High	1.5kW	1.5kW
Heat Output - Low	0.75kW	0.75kW
Safety	Thermal cut out	Thermal cut out
Remote Control	Yes	Yes



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.


ELECTRIFLAME® CURVED BLACK GLASS



ELECTRIFLAME® CURVED BLACK GLASS

- Advanced 3D technology
- Relaxing, smoky full depth flame effect
- Low cost, high efficiency LED lighting
- Variable flame dimmer with four settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Includes an easy fixing wall plate for trouble free installation
- 2 Year Guarantee

Dimensions (H x W x D)	590mm x 930mm x 149mm
Heat Output – High	1.5kW
Heat Output – Low	0.75kW
Safety	Thermal cut out
Remote Control	Yes



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.



ELECTRIC OUTSET

The Electric Outset fires use glowing radiant bars to create an uncanny resemblance to a gas outset radiant fire.

The Renaissance, Strata and Misermatic are timeless market leading designs now available regardless of whether you have a chimney or gas supply. The comforting radiant glow creates the perfect atmosphere to suit your mood, and soothing heat output creates a highly realistic experience.





STRATA ELECTRIC

- 2kW heat output
- User friendly Electronic Top manual Control
- Glowing radiant fuel effect
- Choice of four colours

Dimensions (H x W x D)	530mm x 715mm x 210mm
Heat Output – High	2.0kW
Heat Output - Low	1.0kW
Safety	Thermal cut out
Manual Control	Yes
Available finishes	Black, Brown, White or Cream




STRATA in Black



STRATA in White



STRATA in Brown





MISERMATIC ELECTRIC

- 2kW heat output
- User friendly Electronic Top manual Control
- Glowing radiant fuel effect
- Choice of five colours

Dimensions (H x W x D)	530mm x 800mm x 200mm
Heat Output – High	2.0kW
Heat Output - Low	1.0kW
Safety	Thermal cut out
Manual Control	Yes
Available finishes	Teak, Mahogany, Black, Medium Oak or Light Oak



MISERMATIC in Teak




MISERMATIC in Medium Oak



MISERMATIC in Mahogany



MISERMATIC in Black




RENAISSANCE ELECTRIC in Silver




RENAISSANCE ELECTRIC

- 2kW heat output
- User friendly Electronic Top manual Control
- Glowing radiant fuel effect
- Choice of two colours



RENAISSANCE
ELECTRIC in Black

Dimensions (H x W x D)	652mm x 730mm x 200mm
Heat Output - High	2.0kW
Heat Output - Low	1.0kW
Safety	Thermal cut out
Manual Control	Yes
Available Finishes	Silver or Black



ACCENT & FLAMONIK RANGE


Accent hang-on-the-wall electric fires use ribbon flame technology to create a beautiful flame effect with a comforting under bed glow.

An Accent electric fire can create the perfect atmosphere to suit your mood with optional backlight in a choice of calming blue or vibrant orange glow, and variable flame speed ranging from a gentle wave to a dancing flicker.

Our Flamonik range features the latest electric fire technology to create distinctive and mesmerising flame pictures. They also include a colour changing fuel bed and colour changing back lights which enable you to set your fire to suit your mood.



FLAMONIK RAPTURE



FLAMONIK RAPTURE

- Black flat glass fascia
- Striking dancing flame effect
- Colour changing back light with 4 settings
- Colour changing fuel bed with 4 settings
- Two heat settings up to 2kW

Dimensions (H x W x D)	440mm x 686mm x 110mm
Heat Output – High	2.0kW
Heat Output - Low	1.0kW
Safety	Thermal cut out
Remote Control	Yes
Mood Lighting	Yes




FLAMONIK RAPTURE Magenta



FLAMONIK RAPTURE Blue



FLAMONIK RAPTURE Amber



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.





FLAMONIK ENCHANT

FLAMONIK ENCHANT

- Black curved glass fascia
- Enchanting smoky flame effect
- Colour changing back light with 4 settings
- Colour changing fuel bed with 4 settings
- Two heat settings up to 2kW

Dimensions (H x W x D)	441mm x 912mm x 126mm
Heat Output – High	2.0kW
Heat Output - Low	1.0kW
Safety	Thermal cut out
Remote Control	Yes
Mood Lighting	Yes



FLAMONIK ENCHANT Magenta




FLAMONIK ENCHANT Blue



FLAMONIK ENCHANT Amber



FLAMONIK ENCHANT Log Fuel Bed



Please note: When installed there must be a minimum distance of 400mm between the bottom of the fire and the floor.



ACCENT TRADITIONAL in Brass




ACCENT TRADITIONAL

- Beautiful Ribbon Flame Effect
- Variable Flame Speed
- White and frosted stone fuel bed accompanied by a comforting under bed glow
- Up to 2kW heat output
- Available in a choice of brass effect or chrome
- 2 Year Guarantee



ACCENT TRADITIONAL
in Silver

Dimensions (H x W x D)	595mm x 490mm x 75mm inset + 35mm fascia
Heat Output – High	2.0kW
Heat Output - Low	1.0kW
Safety	Thermal cut out
Remote Control	Yes
Available Finishes	Brass or Chrome



Watch the video

ACCENT INFUSION

- Lively Ribbon Flame Effect
- Coal effect fuel bed
- Variable flame dimmer with three settings
- Two heat levels and a flame effect only option
- Operated via remote control handset or manual controls
- Up to 2kW heat output
- Available in a choice of brass, silver or black & chrome contemporary fascia
- 2 Year Guarantee




ACCENT INFUSION
in Brass



ACCENT INFUSION
in Black & Chrome

Dimensions (H x W x D)	595mm x 498mm x 75mm inset + 83mm fascia
Heat Output – High	2.0kW
Heat Output - Low	1.0kW
Safety	Thermal cut out
Remote Control	Yes
Available finishes	Brass, Silver or Black & Chrome



ACCENT INFUSION in Silver



Watch the video

SURROUNDS

Enhance the beauty of your Celsi fire with one of our striking stone surrounds.

Carved from luxury Honed Royal Botticino marble, a Celsi fireplace will fit perfectly with your existing décor and create a sophisticated feature in your home.

Honed Royal Botticino is a compound stone with a consistent pattern and beige colouring, and since it is manufactured from natural material every surround will have a unique appearance.



ARRIA SURROUND


NOVA SURROUND



The Nova is a classically styled surround and is made from Royal Botticino marble. This surround is suitable for installation with any 16" Electriflame or Accent hearth mounted electric fire.

Dimensions
(H x W x D)

NOVA SURROUND
1053mm x 1210mm
x 239-400mm




RUBI SURROUND



The Rubi is a petite surround which is ideal for small living areas and is made from Royal Botticino marble. This surround is suitable for installation with any 16" Electriflame or Accent hearth mounted electric fire.

Dimensions
(H x W x D)

RUBY SURROUND
930mm x 1000mm
x 160-300mm




AMOR SURROUND



The Amor surround features beautiful curves and is made from Royal Botticino marble. This surround is suitable for installation with any Puraflame, Electriflame or Accent hearth mounted electric fire.

Dimensions (H x W x D)
AMOR SURROUND
 1060mm x 1370mm
 x 279-400mm




ARRIA SURROUND



The Arria surround is based on the popular Tudor design and is made from Royal Botticino marble. This surround is suitable for installation with any Puraflame, Electriflame or Accent hearth mounted electric fire.

Dimensions (H x W x D)
ARRIA SURROUND
 1040mm x 1280mm
 x 180-380mm





ONLINE INSPIRATION & INFORMATION

Tap into a wealth of knowledge and discover everything you need to know about your Celsi fire.

Watch videos of all our electric fires. Simply download a QR scanner app on your smartphone or tablet and use the app to scan the black and white QR codes shown on each page. Alternatively, go to www.celsielectricfires.co.uk to browse all Celsi electric fires.

www.celsielectricfires.co.uk



DISCLAIMER

Our policy is one of constant development and improvement. We therefore reserve the right to revise designs and specifications of our products without formal notice, patents pending. We always recommend our products be viewed in an approved showroom before purchase. Whilst we have taken every care in the preparation of this brochure it is not intended to replace the installation manual which provides more detailed information.

Photography is for illustration purposes only and although every effort has been made to ensure accurate reproduction of typical installations and flame pictures they may vary according to fire model and flue types.

We accept no liability for any loss or damage arising directly or indirectly from the use of this brochure.

We recommend that all our fires are used in conjunction with central heating and not as a primary source of heat.

In the interests of personal safety a suitable fireguard is recommended when children, the elderly and the infirm are present. (This brochure is copyright 2016 and must not be reproduced in whole or in any part without prior written permission).


We would like to thank OER Fireplaces (01782 319350) for supplying the fire surrounds used in this brochure.



BFM Europe Ltd, Gordon Banks Drive,
Trentham Lakes, Stoke-on-Trent ST4 4TJ
Tel:01782 339000
Email: sales@bfm-europe.com

www.celsielectricfires.co.uk

*Go direct to the Celsi website on your smart phone
or tablet device and use the app to scan the black and
white QR codes shown on each page. Alternatively, go
to www.celsielectricfires.co.uk to browse all Celsi electric fires.*



Issue 11