



Global fires

GAS FIRES 2016



Welcome to Global

At Global Fires we know how important it is to create a stylish and relaxing living environment. That's why we've developed this collection of versatile and affordable gas fires to complement all tastes and lifestyles.

I believe our success stems from a combination of innovative design, investment in technology and the highest quality manufacturing standards. As a result all Global fires carry a 7 year guarantee to reflect my belief in their quality and durability, and our experienced Global retailers are hand-picked to give you the very best advice and service.

This brochure has been designed to make the purchase of your new Global fire as simple as possible. I hope you will find it both informative and inspiring.



Michael Power



The logo for Global fires, featuring a stylized red swoosh above the word "Global" in a bold, sans-serif font, with "fires" in a smaller, lowercase font below it.

All Global gas fires carry the peace of mind of a **7 year Guarantee** and the reassurance of a flame supervision device on all models. This device prevents the uncontrolled release of gas to the burner.

Our 7 year Guarantee is subject to terms and conditions including annual services and annual replacement of the oxy-pilot assembly carried out by a Gas Safe Register engineer.



BFM Europe
BRITISH FIRE MANUFACTURERS

Today BFM Europe is the fastest growing domestic fire producer in the country with an unequalled reputation for quality and services. Every Global branded gas fire is developed and manufactured in Britain at our purpose built, state-of-the-art facility in Stoke-on-Trent.



high efficiency

Our high efficiency gas fires use less energy to produce more heat helping to keep your costs down and reducing your carbon footprint.

High Efficiency	5	Saranda HE.....	12
Corda Plus	6	Delta HE Wall Mounted....	13
Fantasy Plus	7	Naypia HE.....	14
Arana Plus	8		
Karara HE.....	9		
Delta HE Hearth Mounted	10		
Fantasy HE.....	11		



Balanced Flue Fires

Balanced flue fires are the perfect solution for those who want all the benefits of a gas fire but don't have a chimney in their home. These glass fronted fires are also extremely efficient to run.

Fantasy BF	16
Corda BF	17



Hearth Mounted Inset Fires

Our hearth mounted fires are all open-fronted with a living flame effect, and are the closest thing you can get to a real coal burning fire without all the mess! Various models are available to suit almost any chimney or flue.

Karara	18
Corda	19
Delta.....	20
Fantasy.....	21
Arana	22
GF16.....	23

Using this brochure

Before you begin please take a moment to read page 4 and establish the type of chimney or flue you have in your home, the type of gas you use to heat it and the control type which would be most suitable for your needs. As you browse through our product range you can easily identify if a gas fire is suitable for you by checking the icons on each page.

Unless otherwise stated, our hearth mount inset fires come complete with a Profiled trim in your choice of brass, polished silver, brushed silver or black finish. Complete the look of your chosen fire with any of our 6 stylish fret designs. You may also be able to upgrade to a different trim, or for a more modern look, one of our contemporary fascias. See pages 26 & 27 to find out which accessories are suitable for your chosen fire.



Wall Inset Fires

With less emphasis on heating, Global wall mounted inset fires are designed to be a dazzling focal point and make a statement in any contemporary home.

Rimini	24
--------------	----



Powerflue Fires

Global powerflue gas fires are extremely versatile and can be flued in a number of different ways. Go to page 31 to find out more.

Corda PF	19	Powerflue Installation	
Fantasy PF	21	Possibilities.....	25



Accessories

We want you to have the right fire for you with the right appearance to suit your home. That's why many of the gas fires in this brochure are sold without a specific fascia to allow you to choose a trim and fret combination and decide how you would like your fire to look.

Trims & Fascias.....	26
Frets.....	27

Before you begin...

Type of Chimney or Flue

The type of chimney or flue you have dictates the type of fire you can have. But if you're not sure, then take a look at your roof and compare it with the simple guide below. It's worth remembering that a full depth fire often requires a traditional chimney or rebate on the fire surround, whilst a slimline fire will fit virtually any chimney or flue.



Brick Chimney

Apart from products designed for "no chimney" applications, all Global products will fit brick chimneys. They are easily recognisable by a chimney stack with accompanying terracotta pot or gas terminal.



Pre-Fabricated Flue

Pre-fabricated flues are easily identifiable by a metal flue and terminal on the roof and a metal flue box behind the fire.



Pre-Cast Flue

Pre-cast flues can be identified by a ridge vent or metal flue tube and terminal on the roof. Constructed from concrete or clay blocks they form a rectangular section flue. All Global fires featuring this icon are only suitable for pre-cast flues conforming to BS EN 1858.


Can't see a Chimney or Flue?

If you can't see a chimney or flue like the ones described above, then you will require either a Balanced Flue, a Powerflue or an electric fire.



Powerflue

Powerflue fires use an electronically driven fan unit mounted on the external wall to expel the flue gases directly outside the building.



Balanced Flue


Balanced Flue fires use a horizontal pipe to vent directly outside. An electricity supply is not required for Balanced Flue products.

Controls




Manual Control

A simple and discreet control system located behind the fire's fascia or fret on inset fires.



Slide Control

Convenient control that eliminates the necessity of bending down.



Easy Flame Control (EFC)

Discreet, easy access buttons are used to ignite the fire and adjust heat and flame height.



Fully Automatic Remote Control

The remote control handset is used to light the fire as well as to adjust the flame height and heat output.



Fully Automatic RC with Thermostatic Control

The remote control handset can be used to light the fire as well as to adjust the flame height and heat output. In addition, the handset contains the extra benefit of a thermostatic control to regulate room temperature and a programmable timer that can be pre-programmed to ensure your room will be warm whenever you wish.

Power Supply

Your gas supply will depend on the area in which you live.



Natural Gas

If you have a gas meter then you will have natural gas

Fuel Bed Effects



Coal



Pebble



Log

Back Panels



Plain



Black Ribbed



Brick Effect



Cream Ribbed



high efficiency

Get up to **94%** net efficiency from your gas fire...

Global Fires have set new industry standards with the introduction of the Global HE high efficiency range: exceptional heat output combined with lower running costs compared to standard gas fires.

Our team has invested in developing the technology to meet the key objective of producing gas fires that save energy and as a result, help to keep costs down. How does a Global HE fire work? HE inset gas fires provide a higher efficiency as they produce both radiant and convected

heat. Radiant heat is generated by the fuel bed and reflected into the room. At the same time convected heat is produced from cool air which is drawn through a heat exchanger and emitted through a canopy at the top of the fire as warm room air.

Hearth Mounted



Corda Plus 70% net	6
Fantasy Plus 70% net	7
Arana Plus 74% net	8
Karara HE 89% net	9
Delta HE Hearth Mounted 78% net	10
Fantasy HE 78% net	11
Saranda HE 89% net	12

Wall Mounted



Delta HE Wall Mounted 78% net	13
Naypia HE 87% net	14

Balanced Flue



Fantasy BF 94% net	16
Corda BF 82% net	17

Corda Plus

The Corda Plus is one of the most efficient open-fronted slimline gas fires available today and with a heat output of up to 4.1kW it is also one of the warmest products suitable for a pre-cast flue. The Corda Plus is available in a choice of manual, remote or our easy access Easy Flame control systems. This extremely versatile fire can be styled with a wide range of Global trims, frets or fascias and with an optional pebble fuel bed it is easy to create a look to suit your existing décor.

Specifications

Safety: Flame Supervision Device & Oxygen Depletion Sensor
Type of Heat: Radiant & Convected


Heat Input High	6.5kW
Heat Input Low	2.2kW
Heat Output High	4.1kW
Heat Output Low	1.4kW
Air Vent Required	Not normally

70%*
NET EFFICIENCY

*BS7977-1:2009 has since been amended. If retested to the amended version of the standard the efficiencies and outputs of these fires may vary.

Chimney/Flue	Fuel	Control	Fuel Bed	Back Panel

Dimensions



A	600mm
B	498mm
C	548mm
D	125mm
E	324mm

Dimensions A & B refer to Standard trim only



Corda Plus with Deluxe Contemporary fascia in brushed silver



Fantasy Plus with Curved silver trim and Grace silver fret

 **high efficiency**

Fantasy Plus

The Fantasy Plus boasting an amazing 70% net efficiency can be installed in to almost any chimney or flue, including pre-cast when fitted with a 3" rebated fire surround. This open-fronted gas fire features a highly realistic coal fuel effect and is available as a manual, slide or remote controlled fire.










Specifications

Safety: Flame Supervision Device & Oxygen Depletion Sensor
Type of Heat: Radiant & Convected

Heat Input High	6.9kW
Heat Input Low	4.2kW
Heat Output High	4.4kW
Heat Output Low	2.2kW
Air Vent Required	Not normally


70%*
NET EFFICIENCY

*BS7977-1:2009 has since been amended. If retested to the amended version of the standard the efficiencies and outputs of these fires may vary.

Chimney/Flue	Fuel	Control	Fuel Bed	Back Panel
				
				
				

Dimensions

A	600mm
B	498mm
C	548mm
D	170mm
E	365mm



Dimensions A & B refer to Profiled trim only.

Arana Plus

The Arana Plus is our first full depth open-fronted high efficiency gas fire. You can now achieve the look of a real open coal fire at an incredible 74% net efficiency. Suitable for installation into standard chimneys the Arana Plus comes in a choice of manual, slide or remote control and can be styled to suit your home with our wide range of trims and frets. See pages 26 & 27.

Specifications

Safety: Flame Supervision Device & Oxygen Depletion Sensor
Type of Heat: Radiant & Convected


Heat Input High	6.9kW
Heat Input Low	4.2kW
Heat Output High	4.6kW
Heat Output Low	2.3kW
Air Vent Required	Not normally

74%*
NET EFFICIENCY

*BS7977-1:2009 has since been amended. If retested to the amended version of the standard the efficiencies and outputs of these fires may vary.

Chimney/Flue	Fuel	Control	Fuel Bed	Back Panel

Dimensions



A	600mm
B	498mm
C	548mm
D	223mm
E	400mm

Dimensions A & B refer to Profiled trim only



Arana Plus with Profiled brass trim and Elegance Brass fret

high efficiency

Karara HE

The slimline Karara HE is the high efficiency solution for almost any flue type. Suitable for brick chimney, pre-fabricated and pre-cast flues, this glass fronted product delivers an amazing 3.2kW heat output and has a net efficiency of 89%. Accessorise your fire with your choice of fascia or trim and fret combination from our large selection (see pages 26 & 27). A pebble fuel effect is available as an optional extra.

Specifications


Safety: Flame Supervision Device & Oxygen Depletion Sensor
Type of Heat: Radiant & Convected

Heat Input High	4.0kW
Heat Input Low	2.0kW
Heat Output High	3.2kW
Heat Output Low	1.4kW
Air Vent Required	Not normally

89%
NET EFFICIENCY

Chimney/Flue	Fuel	Control	Fuel Bed	Back Panel

Dimensions



A	595mm
B	500mm
C	550mm
D	125mm
E	327mm

Dimensions A & B refer to Profiled trim only.



Karara HE with coal effect fuel bed and Contemporary brushed steel fascia

Karara HE with pebble

Delta HE Hearth Mounted

The glass fronted Delta HE features an ultramodern polished steel fascia and with an efficiency of 78% is the perfect fire for modern day living. This highly sophisticated gas fire can be purchased as a manual, slide or remote control fire with a coal fuel bed. A pebble fuel effect is available as an optional extra.

Specifications


Safety: Flame Supervision Device & Oxygen Depletion Sensor
Type of Heat: Radiant & Convected

Heat Input High	4.5kW
Heat Input Low	3.5kW
Heat Output High	3.2kW
Heat Output Low	2.4kW
Air Vent Required	Not normally

78%
NET EFFICIENCY

Chimney/Flue	Fuel	Control	Fuel Bed	Back Panel

Dimensions



A	599mm
B	500mm
C	550mm
D	180mm
E	327mm
F	365mm
G	110mm



Delta HE Hearth Mounted with pebble

Delta HE Hearth Mounted with coal effect fuel bed



Fantasy HE coal and Contemporary Deluxe fascia in black

Fantasy HE pebble and Contemporary Deluxe fascia

high efficiency

Fantasy HE

The Fantasy HE features a highly realistic full depth fuel bed and will fit most chimney and flue application, including pre-cast when fitted with a 3" rebated surround. This glass fronted fire provides an impressive 3.2kW heat output and 78% net efficiency. With a coal fuel effect and manual, slide or remote control, you will certainly find a model to suit your taste and needs. A pebble fuel effect is also available to purchase as an optional extra.

Specifications


Safety: Flame Supervision Device & Oxygen Depletion Sensor
Type of Heat: Radiant & Convected

Heat Input High	4.5kW
Heat Input Low	3.5kW
Heat Output High	3.2kW
Heat Output Low	2.4kW
Air Vent Required	Not normally

78%
NET EFFICIENCY

Chimney/Flue	Fuel	Control	Fuel Bed	Back Panel

Dimensions



A	595mm
B	500mm
C	550mm
D	180mm
E	327mm
F	365mm
G	110mm

Dimensions A & B refer to Profiled trim only.

Saranda HE









If you're looking for a gas fire with efficiency in mind this has to be the product for you. The Saranda HE glass fronted fire features our most realistic full depth coal effect fuel bed and boasts a net efficiency of 89%. With a massive 4kW output the Saranda HE keeps your heat high and your fuel costs low. You can choose your preferred trim and fret combination to suit your decor – see pages 26 & 27.

Specifications



Safety: Flame Supervision Device & Oxygen Depletion Sensor
Type of Heat: Radiant & Convected

Heat Input High	5.0kW
Heat Input Low	3.5kW
Heat Output High	4.0kW
Heat Output Low	2.3kW
Air Vent Required	Not normally


89%
NET EFFICIENCY

Chimney/Flue 	Fuel 	Control 	Fuel Bed 	Back Panel 
				
				

Dimensions



A	595mm
B	500mm
C	550mm
D	230mm
E	400mm



Dimensions A & B refer to Profiled trim only



Saranda HE with Arcadia fascia in gold



Delta HE Wall Mounted with pebble effect fuel bed



Delta HE Wall Mounted with coal

high efficiency

Delta HE Wall Mounted

This portrait hole-in-the-wall fire features a striking polished steel fascia and a 3.2kW heat output. The Delta HE wall mounted is the ideal solution for smaller rooms where space is at a premium.


The glass fronted Delta HE is operated by remote control and comes with a coal fuel bed. A pebble fuel effect is available as an optional extra.

Specifications


Safety: Flame Supervision Device & Oxygen Depletion Sensor
Type of Heat: Radiant & Convected

Heat Input High	4.5kW
Heat Input Low	3.5kW
Heat Output High	3.2kW
Heat Output Low	2.4kW
Air Vent Required	Not normally

78%
NET EFFICIENCY



Dimensions



A	650mm
B	500mm
C	550mm
D	180mm
E	327mm
F	365mm
G	110mm

Naypia HE

The Naypia HE hole-in-the-wall fire features an extremely realistic log effect bed and boast 87% net efficiency making it one of the most efficient fires of its kind. This glass fronted fire offers an outstanding 4.2kW heat output and is operated by a fully automatic remote control system.







The Naypia HE comes with a high quality steel fascia in a black painted finish.

Specifications


Safety: Flame Supervision Device & Oxygen Depletion Sensor
Type of Heat: Radiant & Convected

Heat Input High	5.4kW
Heat Input Low	3.0kW
Heat Output High	4.2kW
Heat Output Low	2.3kW
Air Vent Required	Not normally

87%
NET EFFICIENCY

Chimney/Flue 	Fuel 	Control 	Fuel Bed 	Back Panel 
				

Dimensions



Naypia HE

Online inspiration & information

Tap into a wealth of knowledge and discover everything you need to know about purchasing, fitting & servicing your Global fire.

- Use our intelligent search tools to find your perfect gas fire.
- Find your nearest approved Global stockist
- Download installation and user manuals
- Register your guarantee
- Interactive updated blogs to keep you informed and intrigued

www.globalgasfires.co.uk



Fantasy Balanced Flue

The Fantasy Balanced Flue is the perfect solution for those who like the look of a full depth fire but don't have a standard chimney or flue in their home.

At 94% net this glass fronted fire is the most efficient product in our range and offers an impressive 4.0kW heat output.


The Fantasy Balanced Flue comes in a choice of manual, remote or Easy Flame control (see page 4 for more details), and can be teamed with a large number of Global trims and frets including the Delta contemporary one-piece fascia (see pages 26 & 27). This fire can be installed easily into most standard cavity walls when fitted with a 3" rebated fire surround.

Specifications


Safety: Flame Supervision Device
Type of Heat: Radiant & Convected

Heat Input High	4.6kW
Heat Input Low	3.0kW
Heat Output High	4.0kW
Air Vent Required	No

94%
NET EFFICIENCY



Dimensions



Dimensions A & B refer to Profiled trim only. *Dimensions differ on Easy Flame control models. Please refer to installation manual. An optional flue extension is available to increase the maximum flue length to 1010mm on manual models and 973mm on Easy Flame models.



Fantasy Balanced Flue with Profiled black trim and Aegis black fret



Corda Balanced Flue with brass trim and Balmoral brass fret

high efficiency

Corda Balanced Flue

The super slim Corda Balanced Flue has been specifically designed for homes without a chimney and its slim depth allows it to be easily installed into a standard cavity wall. This glass fronted product has an incredible 82% net efficiency and comes with a choice of brass or polished silver trim which can be complemented with your choice of any Global fret (see pages 26 & 27).

Specifications

Safety: Flame Supervision Device
Type of Heat: Radiant & Convected

Heat Input High	3.8kW
Heat Input Low	2.5kW
Heat Output High	2.8kW
Heat Output Low	1.7kW
Air Vent Required	No

82%
NET EFFICIENCY

Chimney/Flue	Fuel	Control	Fuel Bed	Back Panel

Dimensions

A	620mm max
B	470mm min
C	580mm
D	125mm
E	95mm
F	435mm
G	675mm max - 130mm min
H	400mm
I	145mm

Karara

The Karara features one of the most full depth looking fuel beds on a slimline gas fire. Designed for easy installation in to any chimney or flue, including pre-cast (BS EN 1858), this stylish fire is both versatile and affordable.

This model comes with a choice of Profiled trim which can be teamed with any Global fret, or upgrade to one of our designer trims or fascias (see pages 26 & 27).




Specifications

Safety: Flame Supervision Device & Oxygen Depletion Sensor
Type of Heat: Radiant

Heat Input High	6.5kW
Heat Input Low	2.2kW
Heat Output High	3.3kW
Heat Output Low	1.0kW
Air Vent Required	Not normally

Chimney/Flue 	Fuel 	Control 	Fuel Bed 	Back Panel
------------------	----------	-------------	--------------	----------------

Dimensions



Dimensions A & B refer to Profiled trim only

A	595mm
B	500mm
C	550mm
D	120mm
E	302mm
F	329mm
G	70mm



Karara with pebble effect fuel bed, Profiled silver trim and Aegis silver fret



Karara with coals, Profiled brass trim and Blenheim brass fret



Corda with Pofiled brass trim and Blenheim brass fret

Corda

The slimline Corda gas fire features an attractive coal fuel bed and dancing flame effect. It is suitable for installation in to almost any home, with the option of either a conventional flue model to fit a standard brick chimney, pre-fabricated flue or pre-cast (BS EN 1858) or a Powerflue* for homes with no chimney. The conventional flue model can be purchased as a manual control fire or as a convenient slide control. See pages 26-27 for trim and fret combinations.

Specifications


Safety: Flame Supervision Device & Oxygen Depletion Sensor
Type of Heat: Radiant

	CF	PF
Heat Input High	6.5kW	6.5kW
Heat Input Low	4.2kW	4.2kW
Heat Output High	3.3kW	3.2kW
Heat Output Low	1.6kW	1.9kW
Air Vent Required	Not normally	Not normally

Chimney/Flue	Fuel	Control	Fuel Bed	Back Panel

† Conventional flue models only.

Dimensions



Refer to page 31 for powerflue dimensions.
Dimensions A & B refer to Profiled trim only.

*A mains electric supply is required to power the ignition.

Delta

With an output of 3.3kW the Delta exudes a welcoming heat which is complemented by its full depth full bed and beautifully realistic dancing flame effect.










The Delta features a striking polished steel fascia with a choice of manual, slide or remote control, and a coal fuel bed. An optional pebble fuel effect is available at an additional cost.

In addition, this market leading radiant will fit almost any chimney or flue, including pre-cast (BS EN 1858).


Specifications

Safety: Flame Supervision Device & Oxygen Depletion Sensor
Type of Heat: Radiant

Heat Input High	6.9kW
Heat Input Low	4.2kW
Heat Output High	3.3kW
Heat Output Low	1.5kW
Air Vent Required	Not normally

Chimney/Flue	Fuel	Control	Fuel Bed	Back Panel
				
				
				

Dimensions



A	599mm
B	500mm
C	549mm
D	170mm
E	327mm
F	110mm
G	365mm
H	245mm



Delta with coal effect fuel bed



Fantasy Coal with Profiled silver trim and Bauhaus silver fret

Fantasy Pebble with Contemporary Deluxe silver fascia

Fantasy

The Fantasy features an outstanding coal or pebble fuel effect and beautiful flame picture. This open-fronted fire provides a maximum heat output of 3.3kW and can be installed into most chimney or flues, including precast (BS EN 1858). We also offer a Powerflue model for homes without a flue*.

Customise the Fantasy with our extensive range of trims, frets and fascias (see pages 26 & 27). A pebble fuel effect is available as an optional extra.

Specifications


Safety: Flame Supervision Device & Oxygen Depletion Sensor
Type of Heat: Radiant

	CF	PF
Heat Input High	6.9kW	6.9kW
Heat Input Low	4.2kW	4.2kW
Heat Output High	3.3kW	3.6kW
Heat Output Low	1.5kW	2.0kW
Air Vent Required	Not normally	Not normally

Chimney/Flue	Fuel	Control	Fuel Bed	Back Panel

**Not available on Fantasy Powerflue models

Dimensions



A	595mm
B	500mm
C	550mm
D	170mm
E	327mm
F	365mm
G	110mm

Dimensions A & B refer to Profiled trim only. Refer to page 25 for Powerflue dimensions.

*A mains electric supply is required to power the fan unit.

Arana

The Arana features one of the most realistic coal effects on the market and offers an amazing 4kW of heat. This open fronted fire is able to deliver a higher output through the use of a heat exchanger which draws in the cool room air and converts it to warm convected air.


Manual and slide control models are available and you can create your own style with a choice of any Global trim, fret or fascia (see pages 26 & 27).




Specifications

Safety: Flame Supervision Device & Oxygen Depletion Sensor
Type of Heat: Radiant & Convected

Heat Input High	6.9kW
Heat Input Low	4.2kW
Heat Output High	4.0kW
Heat Output Low	1.5kW
Air Vent Required	No



Dimensions



A	595mm
B	500mm
C	550mm
D	250mm
E	400mm

Dimensions A & B refer to Profiled trim only.



Arana with Profiled brass trim and Bauhaus brass fret



GF16 shown in a Victorian cast iron fascia

GF16


The GF16 is a tapered inset tray fire designed to fit perfectly within a standard 16" firebrick and most Victorian cast iron fascias. This is the ideal replacement for a solid fuel grate, for those who love the look of a real solid fuel fire but would prefer the mess-free convenience of a gas product.

The decorative GF16 features a stunning dancing flame picture complemented by a cosy under glow to create the charming ambience of a real coal fire.


Specifications

Safety: Flame Supervision Device & Oxygen Depletion Sensor
Type of Heat: Radiant

Heat Input High	6.9kW
Heat Input Low	4.2kW
Heat Output	Decorative only
Air Vent Required	Not normally



Dimensions



A	205mm
B	230mm
C	350mm

Rimini


The Rimini hole-in-the-wall gas fire is the ideal solution for any contemporary home where space is at a premium. Its compact, portrait design will fit beautifully in to almost any chimney or flue, including pre-cast (BS EN 1858) and makes an attractive centre-piece without over-powering a room.

The Rimini is available in two models, coal effect with silver trim and coal effect with brass trim.


Specifications

Safety: Flame Supervision Device & Oxygen Depletion Sensor
Type of Heat: Radiant

Heat Input High	6.5kW
Heat Input Low	2.2kW
Heat Output High	3.3kW
Heat Output Low	1.0kW
Air Vent Required	Not normally



Dimensions



Rimini with black and brass trim

Rimini with black and silver trim

Global Powerflue Fires



A gas fire creates a welcoming heart to any living room but many newer homes are being built without a chimney or flue so a conventional gas fire is not an option.

However, powerflue (PF) gas fires have been specifically designed for homes without a conventional flue system providing a gas fuelled alternative heat source to an electric fire or radiator.



The Fantasy Powerflue and Corda Powerflue fires are flued from the rear of the fire and are suitable to be installed on a maximum flue length of 5 metres and 3 bends.




The Global Slimline Fan System fully recessed into an outside wall leaving only a discreet 3" projection. 96mm and 183mm spacers are available if required.

Powerflue Installation Possibilities


Example of powerflue installation



An example of a standard powerflue installation. The gas fire is flued directly through an outside wall via a straight, horizontal length of flue.



An example of a powerflue installation using three bends.



An example of a powerflue installation using a vertical section of flue pipe and two bends.


Corda Powerflue and Fantasy Powerflue Dimensions

Please note, if required, more detailed information regarding technical specification is available from your Global stockist.

Corda PF




Corda see page 19



Fantasy MC PF



Fantasy Coal see page 21



Trim options

Profiled

BRASS BRUSHED STEEL POLISHED STEEL BLACK

Suitable for all Global hearth mounted gas fires.

Curved

BRASS SILVER BLACK

Suitable for Saranda HE*, Fantasy HE*, Karara HE*, Arana Plus*, Fantasy Plus*, Corda Plus, Fantasy*, Arana* and Fantasy Balanced Flue.

Ultimo

GOLD SILVER BLACK NICKEL

Suitable for Saranda HE, Fantasy HE, Karara HE, Arana Plus**, Fantasy Plus**, Corda Plus**, Arana, Fantasy, Corda, Karara and Fantasy BF**.

Fret options

Bauhaus 18"

BLACK NICKEL BRASS SATIN BLACK

Blenheim 16"

ANTIQUE BRASS SILVER BLACK

Elegance 16"

BRASS SILVER BLACK

Balmoral 16"

BRASS BLACK

Aegis 18"

BRASS SILVER BLACK

Grace 16"

BRASS SILVER

* Not available with slide control models. ** Not available with EFC models. † Not available on Powerflue models.

Fascia options

Deluxe Contemporary



ANTIQUE BRASS



SATIN BRASS



BRUSHED STEEL



BLACK

Suitable for Saranda HE*, Fantasy HE*, Karara HE*, Arana Plus*, Fantasy Plus*, Corda Plus, Karara, Corda* and Fantasy*.

Contemporary



POLISHED STEEL



BRUSHED STEEL

Suitable for Saranda HE*, Fantasy HE*, Karara HE*, Arana Plus*, Fantasy Plus*, Corda Plus, Karara, Corda* and Fantasy*.

Arcadia



GOLD



SILVER

Suitable for Saranda HE, Fantasy HE, Karara HE, Arana Plus**, Fantasy Plus**, Corda Plus**, Arana, Fantasy, Corda, Karara and Fantasy BF**.

Delta



DELTA HEARTH MOUNTED



DELTA WALL MOUNTED

Suitable for Saranda HE, Fantasy HE, Karara HE, Arana Plus, Fantasy Plus, Corda Plus, Fantasy, Arana and Fantasy Balanced Flue.

Suitable for Saranda HE*, Fantasy HE*, Karara HE*, Arana Plus*, Fantasy Plus*, Corda Plus, Fantasy*†, Arana* and Fantasy Balanced Flue.

Embrace



GOLD



SILVER



BLACK NICKEL

Suitable for Saranda HE, Fantasy HE, Karara HE, Arana Plus**, Fantasy Plus**, Corda Plus**, Arana, Fantasy, Corda, Karara and Fantasy BF**.



WARNING BFM Europe Limited is a Gas Safe Register company. We recommend that all of our fires are installed by Gas Safe Register engineers in accordance with our instructions.

DISCLAIMER Our policy is one of constant development and improvement. We therefore reserve the right to revise designs and specifications of our products without formal notice, patents pending. We always recommend our products be viewed in an approved showroom before purchase. Whilst we have taken every care in the preparation of this brochure it is not intended to replace the installation manual which provides more detailed information. Photography is for illustration purposes only and although every effort has been made to ensure accurate reproduction of typical installations and flame pictures they may vary according to fire model and flue types. We accept no liability for any loss or damage arising directly or indirectly from the use of this brochure. We recommend that all our fires are used in conjunction with central heating and not as a primary source of heat. In the interests of personal safety a suitable fireguard is recommended when children, the elderly and the infirm are present. (This brochure is copyright 2016 and must not be reproduced in whole or in any part without prior written permission).



Watch the video

WWW.GLOBALFIRES.CO.UK

Go direct to the Global website on your smart phone or tablet device, just scan in this QR code.



BFM Europe Ltd, Gordon Banks Drive, Trentham Lakes, Stoke-on-Trent ST4 4TJ
Tel: 01782 339000 www.globalfires.co.uk Email: sales@bfm-europe.com