PureGlow



2020 Edition





Fireplace Surrounds

Stanford Grey Paint Hanley White & Grey Hanley Grey Paint Himley Aegean Limestone Stanford Natural Oak Westbury White Mist & Grey Slate Paint Finish Wenlock Aegean Limestone Hanley Grey & Oak Stanford White Hanley Natural Oak Whitton Natural Oak Stretton Natural Oak

Fireplace Suites

Kingsford Portuguese Limestone Drayton Portuguese Limestone Harvington Portuguese Limestone Wychbury Portuguese Limestone Hanley Portuguese Limestone

Lydia Illusion Suites

Lydia XP10 Lydia XP20 Lydia XP30

Fuel Beds

Electric Gas

4	Fire Options	32
6	Langley	33
7	Lytton	33
8	Jubilee	33
9	Annabelle	34
10	Bauhaus	34
11	Blenheim	34
12	Carmen	35
13	Churchill	35
14	Chloe	36
15	Daisy	36
16	Grace	37
17	Juliet	37
	Lydia	38
10	Media	38
18	Charlotte	38
20 21	Sienna	38
22	Zara	39
23		
24	Dimensions	40
25		
20		12
24	Flue Types	42
26		
27	Specification	43
28	Specification	CF
29		
	General Information	46
30		
30	Guarantee	47
31	GGGGHTCC	47











Fireplace Surrounds

Whatever the style of your home or personal taste, you are certain to find a PureGlow fire surround that is just right for you.

If your heart is set on a stone surround then we have a range of two finishes for you to consider, see below for details. If a wood finish is your preference, you will appreciate the warmth and character of our Natural Oak and painted finish surrounds.

Aegean Limestone

Completely natural, it is composed of tiny fossils and other organisms that at one time formed part of the sea bed.

Portuguese limestone

These surrounds feature natural variations such as shading, veining, fossils and crystal markings. As a consequence every fireplace is totally unique.

Surround Pictured:

54" Westbury surround in white mist with grey slate inlay finish including LED downlights. Featured with Grace Satin Illusion Electric® coal fire and Granite back panel & hearth

Stanford 54" Grey Paint Surround featuring LED Downlights 48" surround also available



Featured with Juliet full polished illusion electric® log fire and Perla Roma back & hearth

54" White and Grey Paint Surround featuring LED Downlights 48" surround also available



Hanley 54" Grey Paint Finish Surround 48" surround also available



Featured with Juliet full polished Illusion electric® log fire and Perla Roma back panel & hearth

Himley 58″ Aegean Limestone Surround



Stanford 54" Natural Oak Finish Surround featuring LED Downlights 48" surround also available



Featured with Carmen full-polished gas coal fire and black Granite back & hearth

54" White Mist Surround with Grey Slate Inlay Finish Featuring LED Downlights. 48" surround also available



Wenlock 54" Aegean Limestone Surround



Featured with a Jubilee high efficiency gas coal fire in Highlight finish & 54" black Granite hearth

54" Grey Paint Finish Surround & Oak Shelf with LED Downlights 48" surround also available



Stanford 54" White Paint Finish Surround with LED Downlights ^{48"} surround also available



54" Natural Oak Finish Surround with LED Downlights 48" surround also available



Whitton 54" Natural Oak Finish Surround

48" surround also available



48" Natural Oak Finish Surround



Featured with Bauhaus Antique Brass gas fire and Perla Roma back & hearth





Fireplace Suites

Our collection of fireplace suites has something for everyone. From traditional to contemporary styles in a great range of finishes and colours.

Our suites come complete with a back panel or slip set, surround and hearth. Simply add your appliance.

All the suites work in combination with our extensive range of gas and electric appliances.

Suite Pictured:

54" Hanley suite in Portuguese limestone featuring a Juliet Full Polished Illusion electric® log fire with 54" Portuguese limestone back & hearth

Kingsford 48″ Portuguese Limestone Suite



Drayton 50" Portuguese Limestone Suite



Drayton 50" Portuguese Limestone Suite Also available with LED Downlights



Harvington 54" Portuguese Limestone Suite



Featured with a Churchill chrome trim gas coal fire and Portuguese limestone back & hearth

Wychbury 54" Portuguese Limestone Suite



Featured with a Chloe highlighted gas coal fire and Portuguese limestone back & hearth

54" Portuguese Limestone Suite featuring LED Downlights



Lydia Illusion Electric® Fire

The Lydia Illusion Electric® features a unique fascia available in pure black or brushed stainless steel together with high definition split log fuel bed.

Design Features

Full depth flame picture High definition split log fuel bed Adjustable flame effect Remote Control Silent flame effect 750W / 1500W heat settings

ECO Design Compliant

Electronic temperature control 7 day 24 hour programmable timer Adaptive start control Open window detection

Lydia Illusion Electric XP10 Suite White Mist Surround with Grey Slate Inlay Finish



Lydia Illusion Electric XP20 Suite White Mist Surround with Grey Slate Inlay Finish Featuring LED Downlights



XP20 Suite including Lydia Illusion Electric® log fire in black finish

Lydia Illusion Electric XP30 Suite White Mist Surround with Grey Slate Inlay Finish



Electric



Illusion Electric Design features:

- High definition log or coal fuel bed Multi-functional remote control
- Dimmable LED flame effect
- Slimline fit 75mm depth
- ECO Design Compliant
- Electronic room temperature control •
- 7 day 24 hour programmable timer
- Adaptive start control
- Open window detection •

Fuel beds available for electric:





Log



Split Log (Lydia only)

View the full range on pages 32-39



PureGlow offer a stunning range of gas fires for all tastes, ranging from traditional inset and full cast fires to the more contemporary frameless and hole-in-thewall styles. Our unique range of highquality cast surrounds are handcrafted and available in a wide range of finishes.

Gas Design features:

- Radiant Heat
- Full depth/slimline/HE Cast
- Manual/slide control/remote options
- Coal/pebble/log fuel bed options
- Unique cast frame designs

Fuel beds available for gas:



Coal




LOG (Juliet only)

View the full range on pages 32-39



Pebble



Fire Options

Available in a variety of attractive and practical finishes, our gas and electric fires provide the perfect blend of elegant style and energy efficiency.

The type of chimney featured in your home may determine the type of fire you install (please turn to page 42 to identify which is best for you).

Gas and electric fires have very distinct flame and aesthetic qualities. A glance at the close-up images displayed here should help you appreciate the style of each before making your choice.





Langley



Decorative gas coal fire (available as solid fuel kit)

Gas



E



Open-fronted HE gas convector coal fire



Glass-fronted HE gas convector coal fire

Gas



Open-fronted HE gas convector coal fire



Glass-fronted HE gas convector coal fire

Annabelle



Highlighted gas coal fire

Electric



Highlighted illusion electric® fire

Bauhaus

E

J





Polished gas coal fire



Antique Brass gas coal fire

Electric



Polished illusion electric® fire Antique Brass illusion electric® fire

Ga



Chrome gas coal fire



Brass gas coal fire

Electric





Chrome illusion electric® fire

Brass illusion electric® fire



Black gas coal fire



Full Polished gas coal fire

Electric



Black illusion electric® fire



Full Polished illusion electric® fire





Black gas coal fire



Full Polished gas coal fire

Electric



Black illusion electric® fire



Full Polished illusion electric® fire



Black & chrome gas coal fire



Black & brass gas coal fire



Highlighted gas coal fire



Black gas coal fire



Full Polished gas pebble fire



Highlighted illusion electric® fire



Black illusion electric® fire



Full Polished illusion electric® fire





Chrome gas ceramic coal fire Brass gas ceramic coal fire (Satin finish also available)





Chrome illusion electric® fire (Satin finish also available)



Brass illusion electric® fire

SIP

Gas



Chrome gas coal fire

Brass gas coal fire

Electric



Chrome illusion electric® fire



Brass illusion electric® fire

Gas



Highlighted gas coal fire

Electric



Black gas coal fire



Full Polished gas pebble fire



Highlighted illusion electric® fire



Black illusion electric® fire



Full Polished illusion electric® fire

luliet

Electric



Brushed stainless steel illusion electric® fire



Black illusion electric® fire

S

Lydia







Polished gas coal fire

Antique Brass gas coal fire

Electric





Polished illusion electric® fire Antique Brass illusion electric® fire

Charlotte



Satin brushed gas ceramic coal fire



Satin brushed gas ceramic coal fire

Gas



Graphite gas coal fire



Full Polished gas coal fire

Electric



Graphite illusion electric® fire



ull Polished illusion



Our fires come in a range of finishes, so there is bound to be one that is perfect for you.

Match your fire with one of our superb surrounds for a totally stunning effect.


Hand crafted, our unique designs add a touch of individuality to any room.


We use only the highest quality materials on our fires, so the closer you get, the more beautiful they look.

Dimensions

All PureGlow suites consist of a surround, back panel or slip set and hearth, the dimensions of which are shown here in millimeters.

Please note that overall heights do not include depth of hearth.





Flue Types

The heat source you can have in your home is largely dependent on the type of chimney you have. Please check your own requirements with your fireplace retailer or installer.

> These are commonly found in older houses (pre-1960) and are identifiable by a 7" (180mm) or greater diameter flue. Prior to installation of a new fireplace, an existing flue must be structurally sound and checked for blockages.

These are found either in an older house where the existing flue has been lined with a proprietary steel flue or in a newer house with a steel flue built in. Identifiable by a 5" (130mm) or greater diameter flue and a steel flue terminal.

Many newer properties that do not have chimneys are fitted with pre-cast flues made from hollow concrete or clay blocks. These travel vertically up through the cavity wall of the property to a ridge vent or metal flue terminal on the roof.

Modern houses often have no chimney and one option is a PureGlow balanced flue gas fire from our high efficiency cast fire range. Another option when no chimney is available is an electric fire which can be located in virtually any room in the house.

Flue Types

Class 2 Pre-cast No chimney



Class 1















Specifications








Annabelle/Juliet/Chloe













	ZARA	ANNABELLE/JULIET/ CHLOE	CHURCHILL	CARMEN HOLE IN THE WALL	CARMEN INSET	STANDARD INSET	
AVAILABLE TYPES	NG - Class 1 (full depth) NG - Class 2 (slimline)	NG - Class 1 (full depth) NG - Class 2 (slimline)	NG - Class 1 (full depth)	NG - Class 1 (full depth) NG - Class 2 (slimline)	NG - Class 1 (full depth) NG - Class 2 (slimline)	NG - Class 1 (full depth) NG - Class 2 (slimline)	
FUEL BED OPTIONS	Coal or Pebble	Coal or Pebble Log (Juliet only)	Coal or Pebble	Coal or Pebble	Coal or Pebble	Coal or Pebble	
AVAILABLE FINISHES	Graphite Full-polished	Pure Black Highlight polished Full polished (exc. Annabelle) Brass (Juliet only)	Black with chrome trim Black with brass trim	Pure Black Graphite Full-polished	Pure Black Graphite Full-polished	Balhaus (antique or polished) Grace (brass, chrome or satin) Blenheim (antique or polished) Media (brass or polished) Daisy (crass, chrome or satin) Wave (brass or polished)	
CONTROL TYPE	Manual or fingerslide**	Manual or fingerslide**	Manual	Manual	Manual	Manual	
OUTPUT/RATING	Class 1: 3.5kW / F Class 2: 3.2kW / F	Class 1: 3.5kW / F Class 2: 3.2kW / F	Class 1: 3.5kW / F	Class 1: 3.5kW / F Class 2: 3.2kW / F	Class 1: 3.5kW / F Class 2: 3.2kW / F	Class 1: 3.5kW / F Class 2: 3.2kW / F	
INSTALLATION	Inset	Inset	Inset	Inset	Inset	Inset	
FASCIA DIMENSIONS	See diagram above	See diagram above	See diagram above	See diagram above	See diagram above	See diagram above	
OPENING DIMENSIONS	Height min 540 max 575	Height min 540 max 575	Height min 540 max 575	Height min 540 max 575	Height min 540 max 575	Height min 540 max 575	
CLASS 1	Width min 375 max 450	Width min 375 max 450	Width min 375 max 450	Width min 375 max 450	Width min 375 max 450	Width min 375 max 450	
OPENING DIMENSIONS	Height min 540 max 575	Height min 540 max 575	n/a	Height min 540 max 575	Height min 540 max 575	Height min 540 max 575	
CLASS 2	Width min 350 max 450	Width min 350 max 450	n/a	Width min 350 max 450	Width min 350 max 450	Width min 350 max 450	
GUARANTEE	3 years	3 years	3 years	3 years	3 years	3 years	


All dimensions in mm
"The spigot outlet of the fire is 560mm high but should fit into the gather at the top of the fireplace as the appliance is fitted. Any modifications to the fireplace opening must be to a height of 560mm min.
"*Fingerslide available on class 1 only




Annabelle












Zara




Fret and Trim option



Carmen Inset





	CHLOE	JULIET		ZARA/CARMEN/HOLE-IN- THE-WALL	FRET AND TRIM OPTION	LYDIA
AVAILABLE TYPES	Supplied with log set or coal	Supplied with log set or coal	Supplied with split log set			
FUEL BED OPTIONS	Illusion electric inset	Illusion electric inset				
AVAILABLE FINISHES	Pure Black Highlight Full-polished	Pure Black Highlight Full-polished (exc. Annabelle) Brass	Highlight polished	Graphite Full-polished	Bauhaus (antique or polished) Grace (brass, chrome or satin) Blenheim (antique or polished) Media (brass or polished) Daisy (brass, chrome or satin)	Brushed Stainless Steel
EFFICIENCY	LED Flame Effect	LED Flame Effect				
CONTROL TYPE	Remote Control/Manual	Remote Control/Manual				
OUTPUT	750kW / 1500kW heater thermostatically controlled	750kW / 1500kW heater thermostatically controlled	750kW / 1500kW heater thermostatically controlled			
INSTALLATION	Slimline fit (75 depth) Free standing (spacer kit available)	Slimline fit (75 depth)				
FASCIA DIMENSIONS	See diagram above	See diagram above				
OPENING DIMENSIONS		Height min 565 max 585 Width min 408 max 440			Height min 565 max 585 Width min 408 max 440	Height min 565 max 585 Width min 408 max 440
ENGINE SIZE	See diagram above	See diagram above				
GUARANTEE	2 years	2 years				
All dimensions in mm						



General Information

Installation

All appliances must be fitted by a competent person in accordance with the manufacturer's installation instructions. Gas appliances must be installed by a competent engineer. Gas SafeTM (formerly known as CORGI) registered operatives are the only class of person considered as competent by the HSE under the Gas Safety (Installation and Use) Regulations 1998.

Our policy is one of continued improvement and development and therefore the right to change specification without prior notice is reserved. All dimensions are approximate.

No liability is accepted for problems caused by poor installation or misuse of our products. All PureGlow products should be fully inspected prior to installation as no responsibility for re-fitting, repairs or redecoration can be accepted if defective products have been installed. If installing a PureGlow surround in conjunction with a fire not manufactured by PureGlow, please refer to the manufacturer for suitability.

All the images throughout this brochure are for illustrative purposes only. The colours shown in the brochure are as accurate as possible, however some natural materials may vary due to the nature of the products. Some room sets may appear not to comply with the requirements of the latest building regulations, we would always advise that you check your propel with your approved fitter before proceeding with any project. This brochure was correct at the time of printing.

Cleaning and Maintenance

Cast Iron - All cast iron products have a protective, oil based coating on polished surfaces. This should be cleaned off during installation. It is recommended that a spray-type oil is applied occasionally to discourage rusting. Ensure that your room is thoroughly dry before installation. Under no circumstances should a water based cleaner or polish be used to clean cast iron products.

Stone - Stone is naturally porous, so all Aegean surfaces should be pre-sealed to avoid staining. Portuguese limestone, once installed and dry, should be cleaned and sealed where necessary using suitable limestone sealing solution. Protect the surface from coloured liquids such as fruit juices and red wine. In the event of an accident, use a specialist cleaning and resealing kit.

Marble - Protect the surface from strong coloured solutions and citrus juices. To maintain the subtle shine of the surface, occasionally wipe over with a solution of general household cleaner and buff with a soft dry cloth. Do not use any bleach or abrasive cleaning agents.

Veneered MDF - As this material is not resistant to very hot items, we recommend that it is not used in conjunction with any solid fuel fires. To clean, dust occasionally with a soft dry cloth. Avoid silicon based sprays.

Gas Fires – A gas fire is a technical piece of equipment and, just like a gas boiler, needs regular servicing. Please have your gas fire serviced by a Gas Safe™ Register (Board Gais in ROI) registered installer.



Guarantee

Gas Fires

Your guarantee commences from the date of purchase, provided that the following terms and conditions are adhered to.

1. Any claim made within three years will require proof of purchase.

2. Your gas fire must have been commissioned by a competent person. Gas Safe registered operatives are the only class of person considered competent by the HSE under the Gas Safety (installation and use) Regulations 1998. Evidence of this must be provided together with the Gas Safe registration number.

3. Your gas fire must have been serviced annually by a competent person (see point 2 above), evidence of which must be provided.

Consumable items such as any ceramics including; coals, pebbles, the matrix, front strips, side cheeks, rear panels, tapered rear panels and decorative items are not covered by the guarantee.

Electric Fires

Your guarantee commences from the date of purchase and must be installed as per our recommendations stated in the installation manual. Consumable items such as any coals, logs and decorative items are not covered by the guarantee. This guarantee excludes any unfitting or refitting cost incurred.

Claiming

If you wish to make a claim under our guarantee and all the terms and conditions for your product have been met, please submit the following details by email, fax or post:

- 1. Name, address, postcode and telephone number.
- 2. Receipt of purchase or bank/credit card statement.
- 3. Original installer's Gas Safe registration number (gas fires only).
- 4. Annual service receipt for each year after 12 months (gas fires only).

For email submissions, please scan your documentation and send it to sales@pureglowltd.co.uk. Alternatively, fax your documentation to 01384 897728 for the attention of the PG service department. Your statutory rights are not affected.



www.pureglowltd.co.uk Phone: 01384 893060 Fax: 01384 897728 Email: sales@pureglowltd.co.uk