

FIRE COLLECTION
September 2020





Contents

Contents	3
Retailer Network	5



ALLURE INSET RANGE

Introduction	6
Allure Alton	8
Allure Bauhaus	10
Allure Blenheim	12
Allure Clifton	14
Allure Downton	16



TRUEFLAME INSET RANGE

Introduction	
Trueflame Alton	
Trueflame Bauhaus	
Trueflame Blenheim	
Trueflame Clifton	
Trueflame Downton	



INSET RANGE

troduction	30
enheim Hotbox	32
lassica Pewter High Efficiency	33
ream Convector	34
ream High Efficiency	3
ream Balanced Flue	36
celsior Convector	3
celsior High Efficiency	38
celsior Balanced Flue	39
asquerade Convector	4(
asquerade High Efficiency	4
asquerade Balanced Flue	42
etrus High Efficiency	43
eattle Hotbox	44
armony High Efficiency	4



Introduction	30
Blenheim Hotbox	32
Classica Pewter High Efficiency	33
Dream Convector	34
Dream High Efficiency	35
Dream Balanced Flue	36
Excelsior Convector	37
Excelsior High Efficiency	38
Excelsior Balanced Flue	39
Masquerade Convector	40
Masquerade High Efficiency	41
Masquerade Balanced Flue	42
Petrus High Efficiency	43
Seattle Hotbox	44
Harmony High Efficiency	45
Modenza High Efficiency	46
Majestic Decorative	47
	Blenheim Hotbox Classica Pewter High Efficiency Dream Convector Dream High Efficiency Dream Balanced Flue Excelsior Convector Excelsior High Efficiency Excelsior Balanced Flue Masquerade Convector Masquerade High Efficiency Masquerade Balanced Flue Petrus High Efficiency Seattle Hotbox Harmony High Efficiency Modenza High Efficiency



Introduction	Э.
Dimension Alton	54
Dimension Bauhaus	55
Dimension Blenheim	56
Dimension Clifton	5
Dimension Downton	58
Dimension Dream	59
Dimension Excelsior	60
Dimension Masquerade	6
Dimension Petrus	6

Guides & Technical Information Guide to choosing the right fire

Suide to choosing the right file	C
or you and your home	
ret, trim and control options	6
Technical Specifications	6



GAS STOVES

Introduction	
Brunswick	
Ridlington	

50 51

Trusted retailer network

TALK TO YOUR LOCAL VALOR RETAILER ONE OF MANY IN OUR TRUSTED RETAILER NETWORK

We aim to make owning a Valor fire a truly enjoyable experience, so our trusted Valor Centre Retailers provide the highest level of knowledge and experience. Their job advising you begins when you start your search for a fire.

Whether it's a simple replacement or you're starting your search from scratch, we know that making your purchase decision can sometimes be a confusing and daunting experience. It needn't be. That's why we're here to take out the hassle and demystify all the technical information that comes with it – come to us and all you need to do is choose a beautiful fire which will light up your room and give you the cosy ambience you've always wanted for your home.

Visit your local independent Valor Retailer and we'll make a promise to you:

- 1. Choose your dream fire from one of the many live Valor displays we have in-store seeing is believing
- 2. Receive trusted advice and recommendation from an industry expert to find a fire tailored to you
- 3. Have your fire installed by safety assured professionals
- **4. Extended 3 year warranty**, exclusive to Valor Centres, gives you peace of mind your fire will serve you for many years*
- **5.** We'll be on hand to provide advice and **back-up support** as part of an annual service agreement



Visit our website to find your local trusted Valor Centre retailer

www.valor.co.uk/mylocalretailer

Relax and enjoy the cosy ambience of your Valor fire knowing it's been supplied and installed by professionals to the very highest standards.



Valor Centre 3 Year Guarantee

When you purchase a Valor fire you do so with the utmost confidence that it will serve you for many years to come. Such is the confidence in our products, that when you purchase a Valor fire from a Valor Centre retailer, you are entitled to a free upgrade from our standard 1-year guarantee to a 3-year guarantee. To take advantage of this, simply complete the online registration within 28 days of purchase at www.valor.co.uk/register, or call us on 0344 879 3588 if you do not have access to the internet. Products must be installed in accordance with the manufacturer's instructions and maintained in line with the Terms & Conditions, which includes an annual service. For full terms and conditions visit www.valor.co.uk/terms. To find your nearest Valor Centre, please visit www.valor.co.uk/find-a-retailer.

 \mathbf{z}

^{*}One year as standard, two additional years upon registration. See page 5 for full details.



Allure Inset Fires

Allure is perfect for anyone desiring the cosy ambience of an open fire, but without the hassle.

The fires in the Allure range, combine the latest gas technology with the realism of an open fire thanks to a deep, realistic coal effect fuel bed, warm cosy glow and open fronted design for a mix of radiant and convected heat.

There are five different designs to choose from and all come with a choice of four colour finishes, two trim options and three control options.

Sit down, switch on, relax.





Alton

ALLURE

Imagine sitting and relaxing in front of the Alton on a lazy Sunday afternoon. With its distinctive blend of traditional and modern styling, the Alton fits perfectly into any living room.



OPTIONS EFFICIEN •64.5%













OPTIONS FIRE TYPE
Full depth of fronted cor

See pages 64-67 for full product details.





Bauhaus

ALLURE

If you like clean simple lines, the bold, contemporary finish of the Bauhaus provides the perfect focal point for your living room. Sit back, relax and have a nice cup of coffee.

















See pages 64-67 for full product details.





Blenheim

ALLURE

The timeless elegance of the Blenheim will bring traditional style and effortless comfort into your home. Perfect for sitting next to whilst relaxing in the evening.





See pages 64-67 for full product details.





Clifton ALLURE

Give your living room a contemporary finish with the iconic Clifton. Clean lines create a stunning feature to reinvigorate any fireplace.



















See pages 64-67 for full product details.





Downton

ALLURE

An artful blend of contemporary and classic design, the versatile Downton brings a stunning and stylish finish to any room, creating the perfect focal point for your home.



See pages 64-67 for full product details.



Trueflame Inset Fires

Our Trueflame range provides you with complete flexibility when it comes to choosing a gas fire. The Trueflame range combines Valor's market leading engines with a choice of design options and is available in both a convector model, which feature an open fronted design, and high efficiency variants which feature a glass front.



Imagine sitting and relaxing in front of the Alton on a lazy Sunday afternoon. With its distinctive blend of traditional and modern style, the Alton fits perfectly into any living room.






































Alton chrome with chrome half trim



Alton

TRUEFLAME HIGH EFFICIENCY



If you like clean simple lines, the bold, contemporary finish of the Bauhaus provides the perfect focal point for your living room. Sit back, relax and have a nice cup of coffee.

COLOUR OPTIONS

• Brass
• Chrome

• 64.5%

MAX HEAT OUTPUT

•4.0kW

FUEL TYPE

•Natural gas
•LPG*

CHIMNEY TYPE
•Brick
•Pre-fab flue

•Fireslide

TRIM OPTIONS

• Full

• Half









If you like the design of the Bauhaus but want maximum output, these high efficiency models are the perfect choice.

COLOUR OPTIONS

•Brass
•Chrome

•85%

MAX HEAT OUTPUT FUEL TYPE

•3.85kW •Natural gas

CHIMNEY TYPE
• Brick
• Pre-fab flue

TRIM OPTIONS

• Full
• Half





The timeless elegance of the Blenheim will bring traditional style and effortless comfort into your home. Perfect for sitting next to whilst relaxing in the evening.



COLOUR OPTIONS

•Brass
•Chrome

•64.5%























If you like the design of the Blenheim but want maximum output, these high efficiency models are the perfect choice.



















Give your living room a contemporary finish with the iconic Clifton. Bold, clean lines create a stunning feature to reinvigorate any fireplace. colour options efficiency
•Brass •64.5%

MAX HEAT OUTPUT

•4.0kW


FUEL TYPE

•Natural gas
•LPG* CHIMNEY TYPE
•Brick
•Pre-fab flue

CONTROLS
• Fireslide

TRIM OPTIONS
• Full
• Half



















Clifton chrome with chrome full trim

Clifton

TRUEFLAME HIGH EFFICIENCY





An artful blend of contemporary and classic design, the versatile Downton brings a stunning and stylish finish to any room, creating the perfect focal point for your home.








































Downton brass with brass full trim

Downton

TRUEFLAME HIGH EFFICIENCY





Inset Fires

Ve know how important it is to have ust the right fire for your home. This section features a wide range of inset fires – from traditional to nodern designs, with different colour ptions, different efficiencies and for lifferent chimney types.



The timeless elegance of the Blenheim will bring traditional style and effortless comfort into your home. This is a slimline version of this classic design, so perfect for shallow chimneys.

























will make your fireplace a room feature worth talking about.















Combining a traditionally inspired fret and stylish trim design, the Dream is an ideal update for an existing fireplace. Available as full depth or slimline for pre-cast flue.








































Dream chrome full depth

Dream

HIGH EFFICIENCY





If you like the look of the Dream but don't have a chimney, this balanced flue fire is the perfect choice.























Merging the contemporary and traditional, this Excelsior brings style and comfort into focus and is available in two depth to suit different chimney types.



















See pages 64-67 for full product details. See pages 64-67 for full product details. *With LPG kit Full depth: 0595211 or Slimline: 0595221.



If you like the look of the Excelsior but want maximum output, these high efficiency models are the perfect choice.





















If you like the look of the Excelsior but don't have a chimney, this balanced flue fire is the perfect choice.







Excelsior

BALANCED FLUE



Excelsior pale gold

See pages 64-67 for full product details.



The Masquerade offers effortless style and versatility, allowing you to transform a fireplace into a focal point for conversation, whilst putting you in control of your comfort.

COLOUR OPTIONS
•Black nickel
•Pale gold
•Slimline: 61%

FUEL TYPE
Full depth: 64.5%
Slimline: 618

*Full depth: 4.0kW
Slimline: 3.3kW

*Slimline: 51%

*Full depth: 4.0kW

*Natural gas
LPG














Masquerade black nickel slimline











•Brick
•Pre-fab flue
•Pre-cast flue
(Slimline only)





Masquerade

HIGH EFFICIENCY





Masquerade pale gold full depth





If you like the look of the Masquerade but don't have a chimney, this balanced flue fire is the perfect choice.

COLOUR OPTIONS

•Black nickel

•Pale gold

•84%

MAX HEAT OUTPUT FUEL TYPE
•2.8kW •Natural gas

CHIMNEY TYPE

FIRE TYPE

•Balanced flue
glass fronted

SPACER KIT*
Optional black 3'
part no 0595131





With the simple, timeless style of the Petrus you can create an iconic feature for your home which will give you complete control of your comfort.



COLOUR OPTIONS

•Black chrome
•Silver chrome

•Silver chrome
•Silver chrome

MAX HEAT OUTPUT
•Full depth: 3.85kW
•Slimline: 3.1kW



CONTROLS

FIRE TYPE
• Full depth glass
fronted high efficier
• Slimline glass fronte
high efficiency



See pages 64-67 for full product details. See pages 64-67 for full product details.



With its brushed steel curved front and attractive pebble fuel bed, the Seattle creates a stylish modern focal point in your living room. COLOUR OPTIONS
•Brushed steel
•56%

















The modern design of the Harmony gives you a versatile, stylish way to refresh your home as it can be wall mounted or fitted into a surround.

COLOUR OPTIONS

• Black
• Champagne
• Silver















See pages 64-67 for full product details. See pages 64-67 for full product details. *With LPG kit 0595221.



For those that like the cosiness of a gas fire but don't want a traditional fireplace, the iconic wall mounted Modenza is the perfect choice.


































Gas Stoves

Valor gas stoves incorporate our latest technology whilst drawing inspiration from traditional design, resulting in iconic, stylish stoves fires that bring striking presence, controllability, ease of use and lasting comfort to your home.



With its traditional design, compact size and opening door, the Brunswick stove is perfect when space is at a premium.

COLOUR OPTIONS EFFICIENCY

MAX HEAT OUTPUT

•4.0kW

FUEL TYPE

•Natural gas
•LPG*





•Manual









The Ridlington draws on traditional design to create a striking stove that will create a truly iconic feature for your home. An opening door enhances its authenticity and it comes with log and coal fuel beds.

COLOUR OPTIONS EFFICIENCY

MAX HEAT OUTPUT FUEL TYPE
•4.7kW FUEL TYPE

CHIMNEY TYPE
• Brick – top flue
(5")

• Manual • Remote

•Gas stove

FUEL BED

• Coal
• Logs



See pages 64-67 for full product details. See pages 64-67 for full product details. *With LPG kit 0591011. *With LPG kit 0595261.



Dimension Electric

Our Dimension range of electric fires offer the comforting glow of flickering flames and complete control of comfort. The unique flame effect is created through the use of patented holographic technology, putting comfort and ambience within reach all year round, as the flame effect works independent of heat.



Imagine sitting and relaxing in front of the Alton on a lazy Sunday afternoon. With its distinctive blend of traditional and modern styling, the Alton fits perfectly into any living room.























If you like clean simple lines, the bold, contemporary finish of the Bauhaus provides the perfect focal point for your living room. Sit back, relax and have a nice cup of coffee.















See pages 64-67 for full product details. *Allows fire to be fitted flat to the wall. See pages 64-67 for full product details. *Allows fire to be fitted flat to the wall.



The timeless elegance of the Blenheim will bring traditional style and effortless comfort into your home. Perfect for sitting next to whilst relaxing in the evening.







































Clifton

DIMENSION ELECTRIC





An artful blend of contemporary and classic design, the versatile Downton brings a stunning and stylish finish to any room, creating the perfect focal point for your home.


































Dream

DIMENSION ELECTRIC



See pages 64-67 for full product details. *Allows fire to be fitted flat to the wall. See pages 64-67 for full product details. Subject to availability *Allows fire to be fitted flat to the wall.



Merging the contemporary and traditional, the Dimension Excelsior makes a statement of your fireplace and brings style and comfort into focus.



















The Masquerade offers effortless style and versatility, allowing you to transform a fireplace into a focal point for conversation, whilst putting you in control of your comfort.















Masquerade

DIMENSION ELECTRIC



See pages 64-67 for full product details. *Allows fire to be fitted flat to the wall. See pages 64-67 for full product details. *Allows fire to be fitted flat to the wall.



With the simple, timeless style of the Dimension Petrus you can create an iconic feature for your home which will give you complete control of your comfort.


















Technical Information











*Allows fire to be fitted flat to the wall. See pages 64-67 for full product details. Subject to availability

Choosing the correct fire for your home

With the many advancements in fire technology it is easy to get confused. We have laid out the Valor range options in an easy to view matrix, so you can compare the different fire types and pick the one perfect for you and your home. As well as considering what type of fire you want, you also need to know what type of chimney/flue your property has.

What type of chimney does your home have?

Look at the pictures and decide which one best matches the chimney at your home then, when you're reading through our brochure and find a fire you like, simply check the icon to see if it's suitable for the chimney at your property.



Brick Chimney (BC)

Suitable for all fires. The classic brick built chimney can handle fires with a deep fuel bed right through to shallower slimline styles.



Pre-cast Flue (PCF)

Suitable for a wide range of slimline, gas fires and all electric models.



Pre-fabricated Flue (PF)

Suitable for most fires, dependent on the flue depth and diameter.



No Chimney (NC) Even if you have no chimney or flue, we have a selection of fires for you. Our balanced flue and electric fires are the solution here.

Convector fires give out radiant heat as they are open fronted but also draw in cold air from the room, pass it through a heat exchanger to warm it up and then circulate it back around the room. The result is that the room is heated much faster than by radiant heat alone.

High Efficiency



Valor's dedicated research and development facility combines the latest technology with innovative techniques to ensure our products offer the highest possible efficiency. Our High Efficiency range of gas fires are amongst some of the most efficient gas fires available and will help you save on running costs while our balanced flue and radiant gas fires also offer impressive efficiencies.

Electric Collection - All electric fires are 100% efficient at point of use, which means for every kW of energy used you get the same kW heat output from the fire.

What type of fire do you want?



CONVECTOR FULL DEPTH

Efficiency: 64.5% LPG/Mains Gas

BC PF PCF NC ✓ ✓ X X

- Living flame effect
- High output Choice of designs
- Open fronted





CONVECTOR SLIMLINE

Efficiency: 61% LPG/Mains Gas

BC PF PCF NC ✓ ✓ ✓ X

- Living flame effect
- High output Choice of designs
- Open fronted



HIGH EFFICIENCY FULL DEPTH

Efficiency: 75-85% Mains Gas

> BC PF PCF NC ✓ ✓ X X

· Choice of designs

• Glass fronted

- Living flame effect High output
 - High output
 - Choice of designs Glass fronted



Efficiency: 84%

Glass fronted

Mains Gas

HIGH EFFICIENCY BALANCED FLUE SLIMLINE

Efficiency: 80% Mains Gas

BC PF PCF NC BC PF PCF NC ✓ ✓ ✓ X x x x 🗸

- Living flame effect No chimney needed
- Living flame effect Choice of designs High output

нюн



GAS STOVES

Efficiency: 77-81% LPG/Mains Gas

BC PF PCF NC ✓ X X X

- Living flame effect High output
- technology Choice of designs

Holographic

DIMENSION ELECTRIC

Efficiency: 100%

BC PF PCF NC

1 1 1 1

No Gas needed

HIGH

FRET OPTIONS - ALLURE & TRUEFLAME

ALTON



BAUHAUS

BLENHEIM





















Brushed Chrome

















Brushed Chrome



CLIFTON









DOWNTON













TRIM OPTIONS - ALLURE & TRUEFLAME

ALLURE INLAY TRIM COLOURS



Black/Brass





ALLURE FULL TRIM COLOURS









TRUEFLAME HALF TRIM COLOURS



TRUEFLAME FULL TRIM COLOURS



CONTROLS



armchair. Available on some gas



Turn on/off or up/down from easy to use sliding control.

Manual Control


Fire*Slide®*

Can be found discreetly behind the fender of

Control from the comfort of your







ECHNICAL TAB	LE															FIREP	LACE OP	ENING D	IMENSIC	ONS (GAS	FIRE
			OUTPUT Wh)		INPUT Wh)				CHIMNEY	MNEY / FLUE TYPE				DIMENSIONS	;	MIN	MAX	MIN	MAX	MIN	M
PRODUCT NAME	TYPE	MIN	MAX	MIN	MAX	NET EFFICIENCY	CONTROL TYPE	BRICK	PRE-FAB	PRE-CAST	NONE	MOUNTING	HEIGHT	WIDTH	DEPTH*	HEI	GHT	wı	отн	DE	PTH
Allure Inset Fires																					
Alton Allure Convector	Gas	1.3	4.0	2.7	6.85	64.5%	Manual/Fireslide/Remote	1	√ †	×	×	Hearth	615	506	235	555	575	405	457	285	
Bauhaus Allure Convector	Gas	1.3	4.0	2.7	6.85	64.5%	Manual/Fireslide/Remote	/	✓ †	×	×	Hearth	615	506	235	555	575	405	457	285	
Blenheim Allure Convector	Gas	1.3	4.0	2.7	6.85	64.5%	Manual/Fireslide/Remote	1	✓ †	×	×	Hearth	615	506	235	555	575	405	457	285	
Clifton Allure Convector	Gas	1.3	4.0	2.7	6.85	64.5%	Manual/Fireslide/Remote	1	√ †	×	×	Hearth	615	506	235	555	575	405	457	285	
Downton Allure Convector	Gas	1.3	4.0	2.7	6.85	64.5%	Manual/Fireslide/Remote	1	✓ †	×	×	Hearth	615	506	235	555	575	405	457	285	
Trueflame Inset Fires													FULL/INLAY	FULL/INLAY							
Alton Trueflame Convector	Gas	1.3	4.0	2.7	6.85	64.5%	Fireslide	1	√ †	×	×	Hearth	621/610	522/500	235	555	575	405	457	285	
Alton Trueflame High Efficiency	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	/	✓ †	×	×	Hearth	621/610	522/500	186	555	575	405	457	225	
Bauhaus Trueflame Convector	Gas	1.3	4.0	2.7	6.85	64.5%	Fireslide	1	√ †	×	×	Hearth	621/610	522/500	235	555	575	405	457	285	
Bauhaus Trueflame High Efficiency	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	1	✓ †	×	×	Hearth	621/610	522/500	186	555	575	405	457	225	
Blenheim Trueflame Convector	Gas	1.3	3.8	2.7	6.85	61%	Fireslide	1	√ †	×	×	Hearth	621/610	522/500	235	555	575	405	457	285	
Blenheim Trueflame High Efficiency	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	1	✓ †	×	×	Hearth	621/610	522/500	186	555	575	405	457	225	
Clifton Trueflame Convector	Gas	1.3	4.0	2.7	6.85	64.5%	Fireslide	1	√ †	×	×	Hearth	621/610	522/500	235	555	575	405	457	285	
Clifton Trueflame High Efficiency	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	1	✓ †	×	×	Hearth	621/610	522/500	186	555	575	405	457	225	
Downton Trueflame Convector	Gas	1.3	4.0	2.7	6.85	64.5%	Fireslide	1	✓ †	×	×	Hearth	621/610	522/500	235	555	575	405	457	285	
Downton Trueflame High Efficiency	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	/	✓ †	×	×	Hearth	621/610	522/500	186	555	575	405	457	225	
Inset Fires																					
Blenheim Hotbox	Gas	1.3	3.1	2.3	6.0	56%	Manual	1	/	1	×	Hearth	585	450	115	535	575	335	435	200	
Classica High Efficiency	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	1	✓ †	×	×	Hearth	631	540	186	555	575	405	457	225	
Dream Convector Full Depth	Gas	1.3	4.0	2.7	6.85	64.5%	Fireslide	1	√ †	×	×	Hearth	636	518	235	555	575	405	457	285	
Dream Convector Slimline	Gas	1.35	3.3	2.7	6.0	61%	Fireslide	/	/	/	×	Hearth	636	518	135	545	575	335	435	235	
Dream High Efficiency Full Depth	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	1	√ †	×	×	Hearth	636	518	186	555	575	405	457	225	
Dream High Efficiency Slimline	Gas	1.6	3.1	2.3	3.9	80%	Fireslide	1	/	1	×	Hearth	636	518	79	540	580	305	430	115	
Dream Balanced Flue >	Gas	1.1	2.8	1.5	3.85	84%	Top side	×	×	×	/	Hearth	636	518	110		Refer t	o Installa	ition Inst	tructions	5
Excelsior Convector Full Depth	Gas	1.3	4.0	2.7	6.85	64.5%	Fireslide	1	✓ †	×	×	Hearth	636	518	235	555	575	405	457	285	
Excelsior Convector Slimline	Gas	1.35	3.3	2.7	6.0	61%	Fireslide	1	/	1	×	Hearth	636	518	135	545	575	335	435	235	
Excelsior High Efficiency Full Depth	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	1	✓ †	×	×	Hearth	636	518	186	555	575	405	457	225	
Excelsior High Efficiency Slimline	Gas	1.6	3.1	2.3	3.9	80%	Fireslide	1	/	/	×	Hearth	636	518	79	540	580	305	430	115	
Excelsior Balanced Flue >	Gas	1.1	2.8	1.5	3.85	84%	Top side	×	×	×	/	Hearth	636	518	110		Refer t	o Installa	ition Inst	tructions	5
Masquerade Convector Full Depth	Gas	1.3	4.0	2.7	6.85	64.5%	Fireslide	1	✓ †	×	×	Hearth	636	518	235	555	575	405	457	285	
Masquerade Convector Slimline	Gas	1.35	3.3	2.7	6.0	81%	Fireslide	1	/	/	×	Hearth	636	518	135	545	575	335	435	235	
Masquerade High Efficiency Full Depth	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	1	✓ †	×	×	Hearth	636	518	186	555	575	405	457	225	
Masquerade High Efficiency Slimline	Gas	1.6	3.1	2.3	3.9	80%	Fireslide	/	/	1	×	Hearth	636	518	79	540	580	305	430	115	
Masquerade Balanced Flue >	Gas	1.1	2.8	1.5	3.85	84%	Top side	×	×	×	1	Hearth	636	518	110					tructions	5
Petrus High Efficiency Full Depth	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	/	✓†	×	×	Hearth	636	518	186	555	575	405	457	225	
Petrus High Efficiency Slimline	Gas	1.6	3.1	2.3	3.9	80%	Fireslide	/	1	/	×	Hearth	636	518	79	540	580	305	430	115	
Seattle Hotbox	Gas	1.3	3.1	2.3	6.0	56%	Manual	/	/	/	×	Hearth	588	450	115	535	575	335	435	200	
Harmony High Efficiency	Gas	1.8	3.85	2.5	5.0	85%	Fireslide	1	✓ †	×	×	Wall-mounted	631	546	186	555	575	405	457	225	
M. I. II. I E.C. :	6	1.0	2.0	2.7	F.(75%	F: 1:1	,		.,	.,	M/ II	470	(4/	202	450	460	(00	(25	240	

Fireslide

Modenza High Efficiency

Majestic Decorative

Gas 1.8 3.8 2.7 5.6

Gas n/a n/a 2.3 6.85

*Engine Depth

																FIREPL	ACE OP	ENING [DIMENSIC	ONS (GAS	FIRES)
		HEAT OUTPUT (kWh)													MIN	MAX	MIN	MAX	MIN	MAX	
PRODUCT NAME	TYPE	MIN	MAX	MIN	MAX	NET EFFICIENCY	CONTROL TYPE	BRICK	PRE-FAB	PRE-CAST	NONE	MOUNTING	HEIGHT	WIDTH	DEPTH*	HEIG	SHT	WI	DTH	DEI	РТН
Gas Stoves																					
Brunswick Gas Stove	Gas	1.6	4.0	2.3	5.5	81%	Manual	/	×	×	×	Hearth	630	390	440		Refer to	Install	ation Inst	ructions	
Ridlington Gas Stove	Gas	1.6/2.3	4.7	3.5	6.85	77%	Manual/Remote	/	×	×	×	Hearth	650	530	415		Refer to	Install	ation Inst	ructions	
Dimension Electric																					
Alton Dimension	Electric	0.68	1.35	n/a	n/a	100%	Remote	n/a	n/a	n/a	/	Hearth	612	505	70		Refer to	Install	ation Inst	ructions	
Bauhaus Dimension	Electric	0.68	1.35	n/a	n/a	100%	Remote	n/a	n/a	n/a	/	Hearth	612	505	70		Refer to	Install	ation Inst	ructions	
Blenheim Dimension	Electric	0.68	1.35	n/a	n/a	100%	Remote	n/a	n/a	n/a	/	Hearth	612	505	70		Refer to	Install	ation Inst	ructions	
Clifton Dimension	Electric	0.68	1.35	n/a	n/a	100%	Remote	n/a	n/a	n/a	/	Hearth	612	505	70		Refer to	Install	ation Inst	ructions	
Downton Dimension	Electric	0.68	1.35	n/a	n/a	100%	Remote	n/a	n/a	n/a	/	Hearth	612	505	70		Refer to	Install	ation Inst	ructions	
Dream Dimension	Electric	0.68	1.35	n/a	n/a	100%	Remote	n/a	n/a	n/a	/	Hearth	612	505	70	Refer to Installation Instructions					
Excelsior Dimension	Electric	0.68	1.35	n/a	n/a	100%	Remote	n/a	n/a	n/a	/	Hearth	636	518	70		Refer to	Install	tallation Instructions		
Masquerade Dimension	Electric	0.68	1.35	n/a	n/a	100%	Remote	n/a	n/a	n/a	✓	Hearth	636	518	70		Refer to	Install	ation Inst	ructions	
Petrus Dimension	Electric	0.68	1.35	n/a	n/a	100%	Remote	n/a	n/a	n/a	/	Hearth	636	518	70		Refer to	Install	ation Inst	ructions	

*Engine Depth

Important notice: All dimensions stated within the specification table are intended as guidance only. Please consult installation instructions before commencing any building work. The right to change specification without prior notice is reserved. No liability is accepted for problems caused by poor installation or misuse of product.

Key to Technical Table

Hearth & WM Can be hearth or wall mounted – ashpan is not separate.

Hearth Can be hearth or wall mounted. If wall mounted the fire would require a small plinth to support the fret/ashpan which is not attached to the main fire.

NB: Please note that the fires which are highlighted as 'Hearth' are intended for floor level installation with a back panel and hearth. If raised some of the inner workings of the fire may become more visible than intended.

- † These fires are suitable for most pre-fabricated flues dependent on the flue depth and diameter. Please refer to the installation instructions to ensure that this fire is compatible.
- > Inset balanced flue fires can be installed inset/semi-inset into the wall cavity with the 3" spacer, which is available as an optional extra.

Nο


Due to the sheer number of varying flue boxes and pre-cast flues it is not possible to advise on which fires are suitable until the existing fire has been removed. If the width at the rear of the pre-cast flue starter blocks is less than 300mm wide the minimum depth of the opening will be not less than 154mm.

Due to the unique cast plating process, we cannot guarantee an exact colour match to product viewed in

showrooms, online and printed literature.

Fire Surrounds:

Most of the fire surrounds featured in this brochure were supplied by Trent Fireplaces. For further information, please visit www.trent-fireplaces.co.uk or call 0115 979 0330.



Fireplace Openings

To Turther information, please visit www.trent-ineplaces.co.uk or can Off3 979 0330.

66



Valor is a Glen Dimplex Heating & Ventilation Brand Millbrook House, Grange Drive, Hedge End, Southampton SO30 2DF **1** 0344 879 3588 **2** www.valor.co.uk **3** @valorfires









All our electric fires are BEAB approved. The mark of the British Electrotechnical Approvals Board signifies that the appliance **Intertek** bearing it has been produced to the stringent safety requirements for domestic electrical appliance as laid down in BSEN60335.



All our products carry the CE Mark complying with European Safety Standards. Our products are made in accordance with Quality Management System Standard ISO 9001



WEEE Producer Registration Number WEE/GE0057TS WEEE Distributor Take Back Scheme – Registration ID: 6131

Terms & Conditions Valor's policy is one of continual improvement and development. The right to change specification without prior notice is reserved, therefore the actual product may change and so the image shown may not be an exact representation. All images within the brochure were correct at time of print. Reproduction of colours is as accurate as photographic processes will allow. Though accurate at the time of printing, this brochure is not intended to replace the installation manual which provides more detailed information. The statutory rights of the consumer are not affected.