

Gas Fires Collection







Homeflame Harmony Black Winner CORGI Award Best Gas Fire 2007 Homeflame range awarded a Queen's Award for Enterprise: Innovation 2009



Millions of homes across the UK have stayed warm for over 100 years thanks to Valor, the country's leading manufacturer of fires.

Founded in 1890, when a Birmingham-based manufacturer began selling oil storage containers, attention soon turned to heating, with the production of oil heaters marking the birth of the first Valor heaters.

Outstanding technological developments and continual investment in product design over the years have kept Valor at the forefront of the heating industry.

1966 marked the production and sale of the first Valor radiant gas fire, followed just ten years later by the first 'living' flame gas fire complete with imitation fuel bed. A hugely significant turn in product design, the innovative 'living' flame fire once again proved Valor's position as a ground-breaking market leader.



Please note: All images within the brochure were correct at time of print. The actual product may change due to product development and therefore the image shown may not be an exact representation.

which fire is right for you?

We want you to enjoy your new Valor fire right from the very start.

That's why we've made it so easy for you to select the fire that's perfect for you and your home. Look at the pictures below and decide which one best matches the chimney at your home then, when you're reading through our brochure and find a fire you like, simply check it's suitable for the chimney at your property.

Brick built chimney (deep chimney)

Suitable for all fires, the classic brick-built chimney can handle fires with a deep bed right through to shallower slimline styles.



Prefabricated flue (deep flue)

Suitable for most fires, pre-fabricated flues are deep enough to take most of the deep models and all of the slimline styles.



Pre-cast flue (slimline flue)

Usually found in modern homes, pre-cast flues are suitable for a wide range of slimline fires. However, a number of deeper fires can be adapted for pre-cast flues with the use of a spacer kit.



Please note - some remedial building work may be required, please consult your builder or contact the technical team on the number at the back of the brochure.

No chimney or flue

Our wide range of gas and electric fires can be fitted in most homes, even if you have no chimney or flue we have a selection of fires for you. A separate brochure is available for our electric range.



Activeheat™ and radiant heat

All fires give out radiant heat. The heat moves outwards from the fire, so the closer you get to the fire the warmer you feel. Whilst this is suitable for most homes, creating additional warmth throughout the room can take some time. This is where ActiveheatTM helps. Fires with ActiveheatTM not only give out radiant heat but actively draw in the cold air from the room, pass it through a heat exchanger to warm it up and circulate it back around the room by means of natural convection.





Fireslide top control enables you to turn the fire on, off, up or down, without kneeling down.



- 2 VALOR HISTORY
- 3 WHICH FIRE IS RIGHT FOR YOU?

HIGH EFFICIENCY RANGE

- 5 HOMEFLAME RANGE
- 6 HOMEFLAME PETRUS
- 7 HOMEFLAME EMINENCE
- 8 HOMEFLAME DREAM
- 9 HOMEFLAME HARMONY

INSET FIRES

- 10 ADORN
- 11 VISAGE
- 12 WESTMINSTER
- 13 DREAM
- 14 DREAM CONVECTOR & SLIMLINE
- 15 HERITAGE
- 16 DECADENT
- 17 CAPRI
- 18 BLENHEIM
- 19 TRANQUILITY
- 20 ICON
- 21 ARTURA
- 22 VISIA
- 23 LIBERTY
- 24 OBSESSION
- 25 SEATTLE

DECORATIVE GAS FIRES (DGF)

- 26 QUATTRO
- 27 MAJESTIC
- 28 SPANISH BASKET

NO CHIMNEY FIRES (BALANCED FLUE)

- 29 BLACK BEAUTY UNIGAS
- 30 ULTIMATE
- 31 SEATTLE
- 32 DREAM
- 33 DECADENT

OUTSET FIRES

- 34 BLACK BEAUTY SLIMLINE
- 35 HEARTBEAT

RADIANT FIRES

- 36 FIRELITE
- 37 ESQUIRE
- 38 BRA<u>VA</u>
- 39 CHARM
- 40 BLACK BEAUTY RADIANT

WOOD BURNING STOVES

- 41 BALTIMORE
- 42 RIDLINGTON & BRUNSWICK
- 43 HAMLET
- 44 ARDEN & WILLOW



Valor Fires are dedicated to the development of products which minimise their impact on the environment.

Standard inset convector fires have an energy efficiency of around 65% nett. Valor, however, has a large selection of high efficiency fires. With up to 89% nett efficiency, these fires convert more of the energy input in to a useable energy output and can be 38% less expensive to run.

Homeflame Range

Up to 89% efficiency and 4.3kW heat output, the Homeflame range is the benchmark in high efficiency fires. See pages 5 - 9

Balanced Flue

Balanced flue fires are room sealed, and are so called as they balance the level of incoming and outgoing air, which makes them very energy efficient. See pages 29 - 33

Outset / Radiants

Valor radiant fires offer 82% efficiency rating with heat you can feel, while Outset fires can have a coal effect living flame and achieve efficiencies up to 88%. See pages 34 - 40

Wood Burning

Valor's wood burning stoves offer up to 80% efficiency, with great heat outputs of up to 12kW. In addition, burning wood is a carbon neutral process, as no more carbon is released when wood is burned than the tree has absorbed from the atmosphere during its lifetime. See pages 41-44

Regardless of which fire you choose, using your fire instead of your central heating could help cut your overall fuel costs – as a gas fire uses much less energy than a boiler. Use your fire to heat the room you are in, and not your central heating to heat the whole house – allowing you to save energy and costs.











The Valor Homeflame collection of fires are the most energy efficient, chimney installed living flame fires in the market.

38% LESS EXPENSIVE

Valor Homeflame fires are up to 38% less expensive to run than other inset living flame gas fires on the market.*

With an exceptional efficiency rating of up to 89%, the Homeflame range offers homeowners an authentic way of reducing heating bills.

4.3kW
IMPRESSIVE
OUTPUT

Valor Homeflame fires combine an exceptionally good looking gas fire with an impressive output of up to 4.3kW.





Valor Fires was presented with a Queens Award for Enterprise: Innovation in 2009 for the Homeflame fire range; which was designed to reduce carbon emissions and running costs through market leading high efficiency.

The Queen's Awards for Enterprise exist to champion the UK's most enterprising, creative and sustainable organisations. The awards celebrate the successes of British business and the vital importance of enterprise and innovation to the economy.

^{*} When compared to a standard inset living flame fire with efficiency of 65%.

^{**} Net calorific efficiency

Homeflame Petrus

MAX. HEAT OUTPUT

4.0kW



89%

CONTROL POSITION

Fire*Slide®*

Top Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue

PRODUCT CODE

05961E1 - Black Chrome 0596191 - Silver Chrome



Understated contemporary styling

Contemporary hand polished cast fascia available in silver chrome or black chrome finishes with matt black louvres. Impressive heat output with a glass fronted deep coal effect fuelbed that provides a great flame effect with a warm glow - the three piece fuelbed ensures consistency of flames. Easy to operate with a fireslide top control.




Silver Chrome finish





Homeflame Eminence Champagne finish



PRODUCT

Homeflame Eminence

MAX. HEAT OUTPUT

4.3kW



EFFICIENCY RATING

CONTROL POSITION

Remote Control

CHIMNEY FLUE TYPE

PRODUCT CODE

0576211 - Black 05762A1 - Champagne 05762C1 - Silver

LPG Kit Available 0595271

Contemporary High Efficiency Fire



Silver finish

Contemporary hole in the wall fire available in a range of finishes to suit most interiors. Impressive heat output and log effect fuel bed combined with a reversible back panel in black or brick effect to create the ambience of a real fire. Easy to operate from your arm chair with full remote control.



Black finish with black back panel option



Black finish with brick back panel option



Remote Control





Homeflame Dream

MAX. HEAT OUTPUT

4.0kW



89%

CONTROL POSITION

Fire*Slide*® Top Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue

PRODUCT CODE

0576101 - Gold

0576111 - Chrome

0576121 - Black



Homeflame Dream offers 89% efficiency

The Homeflame Dream is a more traditional style of fire available in a range of finishes to suit any living space. Impressive heat output and coal effect fuelbed creates the look and feel of a real fire. Easy to operate with Fire Stide® control positioned at the top of the fire requires little effort to ignite and adjust fire setting.



Black finish







Chrome finish

Homeflame Harmony Silver finish



PRODUCT

Homeflame Harmony

MAX. HEAT OUTPUT

4.0kW



EFFICIENCY RATING

89%

CONTROL POSITION

Fire*Slide®*

Top Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue

PRODUCT CODE

0576131 - Silver

0576141 - Black

0576161 - Champagne



Black finish



Champagne finish

Homeflame Harmony leading the way in both style and efficiency

The Homeflame Harmony offers both modern design and high efficiency. Available in a choice of finishes black, champagne or silver with the option of wall mounting or within a surround. The coal effect fuel bed compliments the bar detailing and provides a realistic flame pictured even on a low setting.





Adorn

MAX. HEAT OUTPUT

4.0kW



64%

CONTROL POSITION

Fire*Slide*®

Top Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue

PRODUCT CODE

0574001 - Black LPG Kit Available 0595211



The Adorn offers authentic cast iron styling

Authentic period styling with a cast iron fascia and intricate detailing on the canopy offers a traditional design with fantastic heat output. Upto 4kW heat output with a deep coal effect fuelbed that provides an impressive flame effect with a warm glow. Easy to operate with a fireslide top control.



Visage

MAX. HEAT OUTPUT

4.0kW



EFFICIENCY RATING

64%

CONTROL POSITION

Fire*Slide*®

Top Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue

PRODUCT CODE

0564011 - Black 0564041 - Brass LPG Kit Available 0595211



Gold finish

The Valor Visage - a true classic

Timeless design with classic detailing available in black with brass or brass finish. The deep coal fuelbed holds random coals to provide that real coal fire look and feel. Easy to operate with Firestide® control providing complete control of the fire setting.

Westminster

MAX. HEAT OUTPUT

3.5kW



61%

CONTROL POSITION

Manual Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue

PRODUCT CODE

05941X1 - Westminster LPG Kit Available 0595211

PRODUCT

Westminster Slimline

MAX. HEAT OUTPUT



CONTROL POSITION

Fire*Slide*®

Top Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue Pre-cast flue

PRODUCT CODE

05748F1 - Westminster Slimline

LPG Kit Available 0595221



A modern classic update of a regency period design

Fully cast pewter effect trim with bold lines and intricate detailing a modern twist on a traditional style. Suitable for all homes with a deep or slimline coal effect fuelbed. The slimline version offers the Fire Slide® top control for easy operation.

Also available in electric. Please see Valor Electric brochure.



Westminster Slimline with Fire*Slide*®

Dream Black finish



PRODUCT

Dream

MAX. HEAT OUTPUT

3.5kW

EFFICIENCY RATING

57%

CONTROL POSITION

Fire*Slide®*

Top Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue

PRODUCT CODE

0564111 - Gold plated

0564121 - Chrome

0564131 - Black

LPG Kit Available 0595211



Chrome finish



Gold plated finish

Dream offers all the looks of a real coal fire

The look of a real coal fire without the maintenance combined with traditional styling the Dream makes a great focal point in most living rooms. Effortless operation with the Fire stide® top control allowing you to have complete control.

Available in a choice of 3 finishes. Gold plated, Chrome or Black.

Dream

MAX. HEAT OUTPUT

4.0kW



EFFICIENCY RATING

64%

CONTROL POSITION

Fire*Slide*®

Top Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue

PRODUCT CODE

05740L1 - Gold plated 05740M1 - Chrome 05740N1 - Black LPG Kit Available 0595211

PRODUCT

Dream Slimline

MAX. HEAT OUTPUT

3.5kW



EFFICIENCY RATING

61%

CONTROL POSITION

Fire*Slide*®

Top Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue Pre-cast flue

PRODUCT CODE

05750S1 - Gold plated 05750T1 - Chrome 05750U1 - Black LPG Kit Available 0595221



Enjoy the fire of your dreams

The Dream Convector offers both a radiant heat and activeheat™ through the means of convection drawing cold air in from the room through a heat exchanger to warm it up and back out into the room providing exceptional heat output. The slimline version allows modern homes with shallow flues to enjoy those classic Dream looks.

For balanced flue option please see page 32. Also available in electric. Please see Valor Electric brochure.



Black finish



Gold plated finish

Heritage Slimline Antique Gold finish



PRODUCT

Heritage

MAX. HEAT OUTPUT

3.5kW



EFFICIENCY RATING

57%

CONTROL POSITION

Fire*Slide®*

Top Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue

PRODUCT CODE

05741F1 - Antique Gold 0574181 - Antique Silver LPG Kit Available 0595211

PRODUCT

Heritage Slimline

MAX. HEAT OUTPUT

3.1kW

EFFICIENCY RATING

57%

CONTROL POSITION

Fire*Slide*®

Top Control

CHIMNEY FLUE TYPE

Brick chimney
Prefabricated flue
Pre-cast flue

PRODUCT CODE

0574851 - Antique Gold 0574841 - Antique Silver LPG Kit Available 0595221



Antique Silver finish with deep fuelbed

A legacy to traditional styles

A traditional style of gas fire that would also be at home in a modern interior. Available in a choice of Antique Silver or Gold finishes both in deep or slimline fuelbed option. Firestide® top control makes for effortless operation in both models.

Decadent

MAX. HEAT OUTPUT

4.0kW



64%

CONTROL POSITION

Fire*Slide*®

Top Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue

PRODUCT CODE

05740V1 - Brass 05740W1 - Chrome LPG Kit Available 0595211

PRODUCT

Decadent Slimline

MAX. HEAT OUTPUT

3.5kW

EFFICIENCY RATING

CONTROL POSITION

Fire*Slide*®

Top Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue Pre-cast flue

PRODUCT CODE

05750B1 - Brass 05750C1 - Chrome LPG Kit Available 0595221



Bringing that warm homely feeling to any interior

Clean lines and minimal detail make the Decadent a suitable fire design for most interiors. It also comes in a deep or slimline fuelbed option for modern homes with small flues. The Decadent range has a solution for every home with electric and balanced flue options available, for homes without a chimney.

For electric option see Valor Electric brochure. For balance flue option see page 33.



Deep fuelbed with Brass finish



Capri

MAX. HEAT OUTPUT

3.1kW

EFFICIENCY RATING

57%

CONTROL POSITION

Manual Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue Pre-cast flue

PRODUCT CODE

05956A2 - Brass LPG Kit Available 0595221

Elegant and inviting

Simple styling of a classic design with a gentle curved solid brass fret provides a timeless classic that would look at home in both traditional and modern interiors.

Also available in electric. Please see Valor Electric brochure.

Blenheim

MAX. HEAT OUTPUT

3.8kW

EFFICIENCY RATING

61%

CONTROL POSITION

Manual Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue

PRODUCT CODE

0594151 - Brass LPG Kit Available 0595211

PRODUCT

Blenheim Slimline

MAX. HEAT OUTPUT

3.1kV

EFFICIENCY RATING

57%

CONTROL POSITION

Manual Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue Pre-cast flue

PRODUCT CODE

0595661 - Brass 05956D6 - Chrome 05956D7 - Black LPG Kit Available 0595221



The low maintenance, high performance alternative to a real coal fire

Traditional design of the Blenheim emulates a real fire in everyway, featuring a classic fascia and real effect coal fuelbed. Available in both deep or slimline fuelbeds suitable for all depths of chimney.

Also available in electric. Please see Valor Electric brochure.



Deep fuelbed with Brass finish



Slimline with Chrome finish

Tranquility



PRODUCT

Tranquility

MAX. HEAT OUTPUT

2.4kW

EFFICIENCY RATING

51%

CONTROL POSITION

Manual Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue

PRODUCT CODE

05754R1

The Tranquility is the very epitome of contemporary design

With its refined chrome frame and glass fascia providing a cool contrast to the natural pebble bed, the Tranquility gas fire will create a lasting impact in any room interior.

Icon

MAX. HEAT OUTPUT

4.0kW



EFFICIENCY RATING

57%

CONTROL POSITION

Fire Slide®
Top Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue

PRODUCT CODE

0574071 - Silver with Pebble fuelbed

05640B1 - Champagne with Coal fuelbed

LPG Kit Available 0595211



The Icon is destined to be the focus of attention in any room

Designed for either a hole in the wall or hearth mounting making it a suitable choice for a smaller living space. Available in Silver finish with a pebble fuelbed or Champagne finish with a coal effect fuel bed whilst offering an impressive heat output.



Champagne finish



Artura

MAX. HEAT OUTPUT

2.6kW

EFFICIENCY RATING

57%

CONTROL POSITION

Manual Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue

PRODUCT CODE

05754D1

Attractive Artura

The Artura has a slender rectangular frame in a light off-white finish, which is easy-clean so you can keep that pristine look with the minimum of effort. A gently protruding plinth contains a pebble fuel bed backed by a charcoal grey panel completing the simple, eye-catching design that will create a stunning centrepiece in any room.

Visia

MAX. HEAT OUTPUT

2.6kW

EFFICIENCY RATING

57%

CONTROL POSITION

Manual Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue

PRODUCT CODE

05754W1



A contemporary hang on the wall landscape fire which boasts a smart two-tone fascia in black and white

The ultimate style statement, the two tone fascia provides a dramatic back drop to the flames that emerge from the heart of a smooth pebble bed. Perfectly styled this fire will create an impact all year round.



Liberty

MAX. HEAT OUTPUT

3.0kW

EFFICIENCY RATING

57%

CONTROL POSITION

Remote Control

CHIMNEY FLUE TYPE

Brick Chimney
Prefabricated flue
Precast flue

PRODUCT CODE

05752E1 LPG Kit Available 0595221





Also available in electric. Please see Valor Electric brochure.



Remote Control

Obsession

MAX. HEAT OUTPUT

4.0kW

EFFICIENCY RATING

64%

CONTROL POSITION

Fire*Slide*®

Top control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue

PRODUCT CODE

0574011

LPG Kit Available 0595211

PRODUCT

Obsession Slimline

MAX. HEAT OUTPUT

3 4kW



EFFICIENCY RATING

61%

CONTROL POSITION

Fire*Slide*®

Top control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue Pre-cast flue

PRODUCT CODE

0575011

LPG Kit Available 0595221



The Obsession fire is a design classic that will create a stunning centrepiece

Neutral styling and classic interiors showcase this fire to its full potential, while the pebble bed adds a contemporary twist. The textured chrome weave front is a distinctive feature of the fire and the Firestide® control means it is operated effortlessly.

Also available in electric. Please see Valor Electric brochure.



Slimline fuelbed

Seattle with Pebble fuelbed



PRODUCT

Seattle

MAX. HEAT OUTPUT

3.5kW

EFFICIENCY RATING

61%

CONTROL POSITION

Manual Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue

PRODUCT CODE

05941E1 LPG Kit Available 0595211

PRODUCT

Seattle Slimline

MAX. HEAT OUTPUT

3.1kW

EFFICIENCY RATING

57%

CONTROL POSITION

Manual Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue Pre-cast flue

PRODUCT CODE

0595603 - Pebble Fuelbed 05956Z1 - Coal Fuelbed LPG Kit Available 0595221



Slimline with coal fuelbed

Sleek sophisticated Seattle

The Seattle has a brushed steel curved front and comes with a beautiful pebble bed, making it the ideal choice for any contemporary interior.

The Seattle Slimline is also available with a coal fuel bed.

For balanced flue option see page 31. Also available in electric. Please see Valor Electric brochure.

Quattro

MAX. HEAT OUTPUT

2.7kW

EFFICIENCY RATING

44%

CONTROL POSITION

Manual Control

CHIMNEY FLUE TYPE

Brick Chimney

PRODUCT CODE

0593941 - Pebble DGF Engine

0593901 - Coal

DGF Engine

0563981 - Quattro Fire Front

0552331 - Brushed Chrome Chair Brick Trim

0552301 - Chair Brick Box

FUEL BED



Pehhle



0--1



A stylish decorative gas fire

Uniting soft edges, gentle curves and a sleek chrome finish, the elegant Quattro is available with either a pebble or coal fuelbed.

Decorative gas fires or DGF's, can be used in large chimney openings to create a realistic open fire look as unlike inset fires, they consist of just the fire basket, without the "box" unit surrounding it.

DGF's are hassle free but with all the charm and mesmeric appeal of a real fire.

If you want to improve the heat performance of your DGF, or need to give a finished look to the chimney opening, you can use the DGF with a box unit (also called a Chairbrick) which will bring the chimney opening to a standard 16" x 22" and whose ceramic sides will reflect the radiant heat back into the room. The chairbrick comes with both black and brass magnetic trims as standard, but brushed chrome trims are also available.



Coal fuelbed

Majestic fire front with Decorative Gas Fire engine and chair brick with black trim



PRODUCT

Majestic

MAX. HEAT OUTPUT

2.7kW

EFFICIENCY RATING

44%

CONTROL POSITION

Manual Control

CHIMNEY FLUE TYPE

Brick Chimney

PRODUCT CODE

5135862 - Majestic Fire Front Black

5135860 - Majestic Fire Front Brass / Black

0552301- Chair Brick Box

0593941- Pebble DGF Engine

0593901- Coal DGF Engine

FUEL BED



Pehhle



FIRE FRON



Black



Black and

Beautifully designed fire that makes a real feature of your fireplace

The Majestic is a stylish decorative gas fire that provides almost endless interior design options – a coal or pebble fuelbed, and black, brass or black and brass fire fronts.

Decorative gas fires or DGF's, can be used in large chimney openings to create a realistic open fire look as unlike inset fires, they consist of just the fire basket, without the "box" unit surrounding it.

DGF's are hassle free but with all the charm and mesmeric appeal of a real fire.



If you want to improve the heat performance of your DGF, or need to give a finished look to the chimney opening, you can use the DGF with a box unit (also called a Chairbrick) which will bring the chimney opening to a standard 16" x 22" and whose ceramic sides will reflect the radiant heat back into the room. The chairbrick comes with both black and brass magnetic trims as standard, but brushed chrome trims are also available.

Spanish Basket

MAX. HEAT OUTPUT

2.9kW

EFFICIENCY RATING

47%

CONTROL POSITION

Manual Control

CHIMNEY FLUE TYPE

Brick Chimney

PRODUCT CODE

05939E1



This beautiful ornate fire comes with classic Spanish style detailing

Available in black and silver effect, its deep coal fuelbed provides real flames to warm your home through the winter months.

Black Beauty Unigas



PRODUCT

Black Beauty Unigas

MAX. HEAT OUTPUT

3.5kW

EFFICIENCY RATING

79%

CONTROL POSITION

Side Control

CHIMNEY FLUE TYPE

No Chimney

PRODUCT CODE

0547301

Our well-known and much-loved Black Beauty fires offer exceptional performance coupled with superb economy

Black Beauty Unigas balanced flue is a version of our popular Black Beauty fire designed exclusively for homes without chimneys. It is exquisitely styled with intricate brass detailing - a truly striking centrepiece that offers exceptional efficiency at 79%.



Ultimate Balanced Flue

MAX. HEAT OUTPUT

2.8kW



84%

CONTROL POSITION

Manual Control

CHIMNEY FLUE TYPE

No Chimney

PRODUCT CODE

0554101 - Brass


0554111 - Chrome

0554121 - Black



No chimney? It's no problem with the Ultimate Balanced Flue

This popular balanced flue model gives you the opportunity to have an attractive inset gas fire with a stylish glass front. Available in brass, chrome or black finish, the refined sophistication of the Ultimate balanced flue will complement both modern and traditional interiors. The Ultimate Balanced Flue can be installed into the wall cavity or, flat against the wall by using an optional extra spacer kit and offers exceptional efficiency at 84%.





Brass finish

Black finish



Seattle Balanced Flue MAX. HEAT OUTPUT 2.8kW activehed

PRODUCT

EFFICIENCY RATING

CONTROL POSITION

Manual Control

84%

CHIMNEY FLUE TYPE


No Chimney

PRODUCT CODE

05541D8

Sleek sophisticated Seattle - no chimney option

The Seattle has a brushed steel curved front and beautiful pebble bed, making it the ideal choice for any home without a chimney.





Dream Balanced Flue

MAX. HEAT OUTPUT

2.8kW



84%

CONTROL POSITION

Top Control

CHIMNEY FLUE TYPE

No Chimney

PRODUCT CODE

05541E1 - Gold 05541F1 - Chrome 05541G1 - Black




Stylish and efficient, Dream balanced flue is perfect for homes without a chimney

Now you can have the classic Dream looks and the delightful dancing flames in homes without a chimney. Also, Dream balanced flue offers an impressive 84% efficiency and 2.8kW heat output.



Chrome finish





Black finish

Decadent Balanced Flue Brass finish



PRODUCT

Decadent Balance Flue

MAX. HEAT OUTPUT

2.8kW

EFFICIENCY RATING

84%

CONTROL POSITION

Top Control

CHIMNEY FLUE TYPE


No Chimney

PRODUCT CODE

0554171 - Chrome



Chrome finish



Installation

Indulge yourself with a Decadent balanced flue, suitable for homes without a chimney

With the decadent balanced flue homes can bask in the warm glow of realistic flickering flames. Perfect for those who want the comfort and homely feel of a gas fire, but do not have a chimney or flue.



Black Beauty Slimline

MAX. HEAT OUTPUT

4.0kW

EFFICIENCY RATING

88%

CONTROL POSITION

Side Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue Pre-cast flue

PRODUCT CODE

0534101



Our well-known and much-loved Black Beauty fires offer exceptional performance coupled with superb economy

The Black Beauty Slimline has a beautiful flame picture to add ambience and character to any room and comes with a distinctive pagoda shaped canopy highlighted with brass detailing.





Heartbeat Oxysafe

MAX. HEAT OUTPUT

3.6kW

EFFICIENCY RATING

78%

CONTROL POSITION

Side Control

CHIMNEY FLUE TYPE

Brick Chimney
Prefabricated flue
Pre-cast flue

PRODUCT CODE

0533901

At home in any room, Heartbeat Oxysafe boasts excellent heat output, advanced safety standards, exceptional reliability and easy operation

The stylish glass front of the Heartbeat Oxysafe shows off its real flame effect fuelbed beautifully.



Firelite Oxysafe

MAX. HEAT OUTPUT

4.0kW

EFFICIENCY RATING

82%

CONTROL POSITION

Top Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue Pre-cast flue

PRODUCT CODE

0534761 - Firelite

0534771 - Firelite with Electronic Ignition



The Firelite Oxysafe offers exceptional reliability and easy operation

The Firelite Oxysafe's white ceramic radiants ensure a truly impressive performance.

The Firelite Oxysafe offers a cost effective heating option that doesn't compromise on standards of style, reliability and performance, making it an ideal choice. An electronic ignition variant is also available making the fire incredibly simple to operate.



Esquire



PRODUCT

Esquire

MAX. HEAT OUTPUT

4.0kW

EFFICIENCY RATING

82%

CONTROL POSITION

Top Control Electronic Ignition also available

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue Pre-cast flue

PRODUCT CODE

0534751 - Esquire 05347D1 - Esquire with Electronic Ignition

Traditional looks value performance

In an olive bronze finish, this fire features easy to use top controls, and also available with electronic ignition. Slimline and elegant, the Esquire has earned its place in the market.



Brava

MAX. HEAT OUTPUT

4.0kW

EFFICIENCY RATING

82%

CONTROL POSITION

Fire*Slide*®

Top Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue Pre-cast flue

PRODUCT CODE

0534701 - Teak

0534711 - Mahogany

0534821 - Teak Fireslide

0534831 - Mahogany Fireslide



High performance from an old favourite

The Brava is a key product within the gas fire range offering high efficiency and excellent heat output. With a choice of teak or mahogany top and side panels to fit into your living space. The Brava controls have been developed with ease in mind - there is a choice of the standard twist top control or for effortless control the Firestide® option.



Mahogany finish



Brava Teak with



Charm Mahogany finish



PRODUCT

Charm

MAX. HEAT OUTPUT

4.0kW

EFFICIENCY RATING

82%

CONTROL POSITION

Top Control

CHIMNEY FLUE TYPE

Brick Chimney
Prefabricated flue
Pre-cast flue

PRODUCT CODE

0534721 - Teak 0534731 - Mahogany



Teak finish

Established design providing excellent efficiency

With a heat output of 4kW and choice of teak or mahogany top panel, the Charm cannot be overlooked. Suitable for all chimneys & flues, the top control position makes it effortless to operate.



Black Beauty Radiant

MAX. HEAT OUTPUT

4.0kW

EFFICIENCY RATING

82%

CONTROL POSITION

Fire*Slide*®

Top Control

CHIMNEY FLUE TYPE

Brick Chimney Prefabricated flue Pre-cast flue

PRODUCT CODE

05347A1 - Black Beauty Radiant

0534811 - Black Beauty Radiant with Fireslide



At home in any room, the Black Beauty Radiant boasts excellent heat outputs

Traditional style and detailing the Black Beauty Radiant is exceptionally efficient and economical. The Black Beauty controls have been developed with ease in mind - there is a choice of the standard twist top control with disability adaptor to assit the operation or for effortless control the FireStide® option.



Disability Control



Black Beauty Radiant with Fire Slide®





Baltimore

MAX. HEAT OUTPUT

Up to 12kW

EFFICIENCY RATING

76%

CHIMNEY FLUE TYPE

Brick Chimney

PRODUCT CODE

0591331

Wood Burning Stoves

With smooth lines and perfect proportions the Wood Burning Stoves range is ideal for those seeking an authentic heating experience in their home. Fashionable yet affordable, our wood burning stoves also burn peat or coal giving you flexibility, performance and reliability.

A real centre piece

The granduer of the Baltimore makes a real statement. Best quality cast iron solid fuel stove, suitable for logs, coal and peat. Comes with choice of brushed brass and brushed steel door furniture. Top or rear flue (6"/150mm diameter). Controlled airwash for cleaner glass and aids combustion.



Brunswick

MAX. HEAT OUTPUT

Up to 5.5kW

EFFICIENCY RATING

79%

CHIMNEY FLUE TYPE

Brick Chimney

PRODUCT CODE

0591031

PRODUCT

Ridlington

MAX. HEAT OUTPUT

Up to 8.0kW

EFFICIENCY RATING

79%

CHIMNEY FLUE TYPE

Brick Chimney

PRODUCT CODE

0594431



Compact and simple

The comfort of a real fire housed in a traditional style stove. Best quality cast iron solid fuel stove, suitable for logs, coal and peat. Comes with choice of brushed brass and brushed steel door furniture. Top or rear flue (5" / 125mm diameter). Controlled airwash for cleaner glass & aids combustion.



Ridlington Solid Fuel Stove





Hamlet

MAX. HEAT OUTPUT

Up to 7.0kW

EFFICIENCY RATING

80%

CHIMNEY FLUE TYPE

Brick Chimney

PRODUCT CODE

05044B1

Comfort of a real fire

The comfort of a real fire housed in a traditional style stove. Best quality British steel solid fuel stove, suitable for logs, coal and peat. Top or rear flue (5" / 125mm diameter). Controlled airwash for cleaner glass & aids combustion.



Arden

MAX. HEAT OUTPUT

Up to 5.0kW

EFFICIENCY RATING

80%

CHIMNEY FLUE TYPE

Brick Chimney

PRODUCT CODE

0570001



Willow Solid Fuel Stove

PRODUCT

Willow

MAX. HEAT OUTPUT

Up to 4.0kW

EFFICIENCY RATING

80%

CHIMNEY FLUE TYPE

Brick Chimney

PRODUCT CODE

0570011



Solid design with traditional detailing

For homes who want the benefit of a real fire the Arden and Willow are compact and most living spaces would be able to accomodate them. Best quality cast iron solid fuel stove, suitable for logs, coal and peat. Top or rear flue (5"/125mm diameter). Controlled airwash for cleaner glass & aids combustion.

Whilst providing warmth for a room, our wood burning stoves, Arden, Willow and Hamlet can also provide free hot water. An add in boiler element can be connected to the stove to provide heat to water, towel rail / radiator and will help reduce primary heating costs. For more information please visit **www.valor.co.uk**



	Valor Fire	Heat Output (kW)				Nett Efficiency	Control Type & Position			Chimney/Flue Type				
Page	Product Name & Gas Type Natural Gas (NG) Or (LPG)◆	Min	Max	Min	Max		Control	OXYSAFE* System	Flame	Brick Built Chimney	Pre- Fabricated	Pre-Cast Flue	No Chimney Or Flue	Me
								Device	Supervision		Flue			
- 6	Homeflame Petrus NG	1.8NG	4.0NG	2.3NG	5.0NG	89%	FireStide® Top Control	~	~	~	v†	×	×	
7	Homeflame Eminence NG & LPG◆	1.3NG	4.31NG	2.0NG	5.7NG	84%	Full Remote Control	~	~	~	×	×	×	
		2.37LPG	4.23LPG	3.3LPG	5.6LPG	82%	4							
8 9	Homeflame Dream NG Homeflame Harmony NG	1.9NG 1.9NG	4.0NG 4.0NG	2.5NG 2.5NG	5.0NG 5.0NG	89% 89%	FireSlide® Top Control FireSlide® Top Control	V	<i>V</i>	<i>V</i>		×	×	
10	Adom NG & LPG◆	1.5NG	4.0NG	2.7NG	6.85NG	64%	FireStide® Top Control	~			v†	×	×	
		2.6LPG	4.1LPG	4.3LPG	6.7LPG	67%								
11	Visage NG & LPG◆	1.5NG 2.6LPG	4.0NG 4.1LPG	2.7NG 4.3LPG	6.85NG 6.7LPG	64% 67%	Fire <i>Slide</i> ® Top Control	~	~	~	/ †	×	×	
12	Westminster NG & LPG◆	1.2NG	3.8NG	2.3NG	6.85NG	61%	Fire <i>Slide</i> ® Top Control	~	~	~	v †	×	×	
40	Westminster Slimline NG & LPG◆	2.1LPG	3.7LPG	4.0LPG	6.7LPG	58%	THE SIME TOP CONTROL							⊢
12	Westminster Siimline NG & LPG◆	1.5NG 2.5LPG	3.1NG 3.5LPG	2.7NG 4.3LPG	6.0NG 6.1LPG	57% 62%	Fire <i>Slide®</i> Top Control	~	~	~	~	~	×	
13	Dream NG & LPG◆	1.1NG	3.5NG	2.7NG	6.85NG	57%	Fire <i>Stide</i> ® Top Control	~	~	~	/ †	×	×	
14	Dream Convector NG & LPG◆	2.2LPG 1.5NG	3.7LPG 4.0NG	4.3LPG 2.7NG	6.7LPG 6.85NG	60% 64%		~	V	~	v †	×	×	H
		2.6LPG	4.1LPG	4.3LPG	6.7LPG	67%	Fire <i>Slide</i> ® Top Control							L
14	Dream Convector Slimline NG & LPG◆	1.5NG 2.5LPG	3.3NG 3.5LPG	2.7NG 4.3LPG	6.0NG 6.1LPG	61% 63%	Fire <i>Slide</i> ® Top Control	~	~	~	~	~	×	
15	Heritage NG & LPG◆	1.1NG	3.5NG	2.7NG	6.85NG	57%	FireStide® Top Control	~	V	~	v †	×	×	T
4.5	Lieutene Oliveline NO 8 LDO 4	2.2LPG	3.7LPG	4.3LPG	6.7LPG	59%	THE SAME TOP CONTROL							H
15	Heritage Slimline NG & LPG◆	1.4NG 2.3LPG	3.1NG 3.3LPG	2.7NG 4.3LPG	6.0NG 6.1LPG	57% 58%	Fire <i>Slide</i> ® Top Control	~	~	~	~	~	×	
16	Decadent NG & LPG◆	1.5NG	4.0NG	2.7NG	6.85NG	64%	Fire <i>Slide</i> ® Top Control	~	V	~	v †	×	×	
16	Decadent Slimline NG & LPG◆	2.6LPG 1.5NG	4.1LPG 3.3NG	4.3LPG 2.7NG	6.7LPG 6.0NG	67% 61%		~	~	~	~	~	×	\vdash
		2.5LPG	3.5LPG	4.3LPG	6.1LPG	63%	Fire <i>Slide</i> ® Top Control							
17	Capri NG & LPG◆	1.3NG 1.9LPG	3.1NG	2.3NG	6.0NG	57% 55%	Manual	~	~	~	~	~	×	
18	Blenheim NG & LPG◆	1.9LPG 1.3NG	3.1LPG 3.8NG	3.8LPG 2.3NG	6.1LPG 6.85NG	61%	Manual	~	V	~	√ †	×	×	H
		2.1LPG	3.7LPG	4.0LPG	6.7LPG	58%								
18	Blenheim Slimline NG & LPG◆	1.2NG 1.9LPG	3.1NG 3.1LPG	2.3NG 3.8LPG	6.0NG 6.1LPG	57% 55%	Manual	~	~	~	~	~	×	
19	Tranquility NG	1.4NG	2.4NG	3.1NG	5.2NG	51%	Manual	~	V	~	v †	×	×	L
20	Icon NG & LPG◆	1.5NG	4.0NG	2.7NG	6.85NG	64%	Fire <i>Slide</i> ® Top Control	~	~	~	/ †	×	×	
21	Artura NG	2.6LPG 1.5NG	4.1LPG 2.6NG	4.3LPG 3.0NG	6.7LPG 5.1NG	67% 57%	Manual	~		~	v †	×	×	H
22	Visia NG	1.5NG	2.6NG	3.0NG	5.1NG	57%	Manual	~	V	v	v †	×	×	
23	Liberty NG & LPG◆	0.87NG	3.0NG	1.7NG	6.0NG	61%	Remote Control	~	~	~	~	~	×	
24	Obsession NG & LPG◆	1.7LPG 1.5NG	3.2LPG 4.0NG	3.2LPG 2.3NG	6.1LPG 6.85NG	56% 64%	m. of an Top Ord	~	V	~	v †	×	×	H
		2.6LPG	4.1LPG	4.3LPG	6.7LPG	67%	Fire Slide® Top Control							
24	Obsession Slimline NG & LPG◆	1.5NG 2.5LPG	3.4NG 3.5LPG	2.7NG 4.3LPG	6.0NG 6.1LPG	61% 63%	Fire <i>Slide</i> * Top Control	~	~	~	~	~	×	
25	Seattle NG & LPG◆	1.3NG	3.8NG	2.3NG	6.85NG	61%	Manual	~	~	~	v †	×	×	T
25	Seattle Slimline NG & LPG◆	2.1LPG 1.3NG	3.7LPG 3.1NG	4.0LPG 2.3NG	6.7LPG 6.0NG	60% 57%	Manual		~			~	×	\vdash
20	Gearlie Siii I III I le NG & LPG♥	1.3NG 2.1LPG	3.1NG 3.2LPG	2.3NG 3.8LPG	6.1LPG	57% 57%	ivia/IU8I	-	•	•	•	V	*	
26-27	Decorative Gas Fire Engine C1	0.8NG	2.7NG	2.3NG	6.85NG	44%	Manual	~	V	~	×	×	×	
26-27	Coal NG & LPG◆ Decorative Gas Fire Engine C1	1.3LPG 0.8NG	2.7LPG 2.7NG	4.0LPG 2.3NG	6.7LPG 6.85NG	44% 44%	Manual		~		×	×	×	
20-21	Pebbles NG & LPG◆	1.3LPG	2.7LPG	4.0LPG	6.7LPG	44%	IVIGITUAL				^			
28	Spanish Basket NG	1.0NG	2.9NG	2.3NG	6.85NG	47%	Manual	V	~	~	×	×	×	
29	Black Beauty Unigas NG	1.6NG	3.5NG	2.2NG	4.9NG	79%	Side control - Integral Piezo ignition	~	×	×	×	×	~	
30	Ultimate Balanced Flue NG >	1.1NG	2.8NG	1.5NG	3.7NG	84%	Manual - Lower RH front	~	×	×	×	×	~	
31	Seattle Balanced Flue >	1.1NG	2.8NG	1.5NG	3.7NG	84%	Manual - Lower RH front	<i>V</i>	×	×	×	×	V	
32	Dream Balanced Flue >	1.1NG	2.8NG	1.5NG	3.7NG	84%	Top Rate Control - Lower manual ignition	~	×	×	×	×	V	
33	Decadent Balanced Flue NG >	1.1NG	2.8NG	1.5NG	3.7NG	84%	Top Rate Control	~	×	×	×	×	~	
34	Black Beauty Slimline NG	1.0NG	4.0NG	1.6NG	5.0NG	88%	- Lower manual ignition Side control	V	~			~	×	\vdash
	,						- Integral Piezo ignition							
35	Heartbeat Oxysafe NG	0.8NG	3.6NG	1.5NG	5.0NG	78%	Side control	~	~	~	~	~	×	
36	Firelite Oxysafe NG	1.0NG	4.0NG	1.6NG	5.4NG	82%	- Integral Piezo ignition Top control	~	· ·	~	~	~	×	
	·						- Integral Piezo ignition							
37	Esquire Oxysafe NG	1.0NG	4.0NG	1.57NG	5.4NG	82%	Top Control - Integral Piezo ignition	~	~	~	~	V	×	
38	Brava NG	1.0NG	4.0NG	1.57NG	5.4NG	82%	Top Control	~	~	~	~	~	×	
38	Brava NG Radiant	1.0NG	4.0NG	1.57NG	5.4NG	82%	- Integral Piezo ignition Fire <i>Slide</i> ® Top Control	~	V	~	~	~	×	\vdash
	Fire <i>Sli</i> de®	1.0140	T.UNG			UZ /0	- Electronic Ignition							
39	Charm NG	1.0NG	4.0NG	1.57NG	5.4NG	82%	Top Control	~	~	~	~	~	×	
40	Black Beauty Radiant NG	1.0NG	4.0NG	1.57NG	5.4NG	82%	- Integral Piezo ignition Top control	~	· ·	~	~	~	×	1
	-						- Integral Piezo ignition							
40	Black Beauty Radiant NG Fire <i>Stide®</i>	1.0NG	4.0NG	1.57NG	5.4NG	82%	Fire <i>Stride</i> ® Top Control - Electronic Ignition	~	~	~	~	~	×	
41	Baltimore Stove 12	1.0	12.0	-	_	76%	n/a	_	_	~	×	×	×	H
42	Ridlington Stove 8	1.0	8.0	-	-	79%	n/a	-	-	V	×	×	×	
	Brunswick Stove 5	1.0	5.0 7.0	-	_	79% 80%	n/a n/a	-	-	<i>V</i>	×	×	×	\vdash
42	Hamlet Mood Duming Otalia				-	8U%	n/a	-	-	~	X			
42 43 44	Hamlet Wood Burning Stove Arden Wood Burning Stove	1.0	5.0	_	-	80%	n/a	-	_	~	×	×	×	\vdash

Important notice: All dimensions stated within the specification table are intended as guidance only. Please consult installation instructions before commencing any building work.

Specifications Key

GL&W Can be ground level or wall mounted - ashpan is not separate.

Can only be wall mounted - saripain is not separate.

Wall Can only be wall mounted - ventilation requirement prevents ground level mounting.

Plinth Can be ground level or wall mounted. If wall mounted the fire would require a small plinth to support the ashpan which is not attached to the main fire.

Spanish Basket may require a plinth depending on the depth of the opening.

NB: Most of the fires installed with the requirement of a 'Plinth' are primaily intended for ground level installation with a back panel and hearth. As if raised some of the inner workings may become more visible than intended.

↓ LPG conversion kit available.

- Due to the sheer number of varying flue boxes and pre-cast flues it is not possible to advise on which fires are suitable until the existing fire has been removed. If the width at the rear of the precast flue starter blocks is less than 300mm wide the minimum depth of the opening will be not less than 154mm. When using a replacement chairbrick, fireplace openings required are Height 555-565mm Width 405-445mm Depth 305mm.
- Balanced flue fires can be installed inset / semi-inset into the wall cavity with the 3" spacer, or flat against the wall with the 5" spacer. Fan Flues can be inset into the wall.
- Indicates minimum height above fireplace opening. Indicates appliance depth.


ion Options		Fireplace Openings Required (mm)									Minimum Clearance Req'd to Combustible Surfaces (mm) Appliances (mm)						
unting		ick Built Chim		Pi	refabricated FI	ue		Pre-cast Flue						,			
	Height	Width (Min)	Depth	Height	Width (Min)	Depth	Height	Width (Min)	Depth	Above	Side (To corner wall)	Below (Hole in the wall fittings)	Fascia Height (A)	Fascia Width (B)	Engine Depth (C)		
Plinth L&W	555-575 553-580	405-457 680-744	225 355	555-575 n/a	405-457 n/a	305 n/a	555-575 n/a	450 n/a	225 n/a	114 100	100 75	100 90	636 643	518 819	186 321		
Plinth	555-575	405-457	225	555-575	405-457	305	555-575	450	225	64	100	100	636	518	186		
L&W Plinth	555-575 555-575	405-457 405-457	225 285	555-575 555-575	405-457 405-457	305 305	555-575 555-575	450 450	225 240	69 32	100 100	100 100	631 768	546 545	186 235		
Plinth	555-575	405-457	285	555-575	405-457	305	555-575	450	240	150	108	100	611	529	235		
Plinth	555-575	405-457	218	555-575	405-457	305	555-575	450	186	155	100	100	605	500	186		
Plinth	535-575	335-435	200	535-575	335-435	150	535-575	335-435	120	90	100	72	610	510	115		
Plinth	555-575	405-457	285	555-575	405-457	305	555-575	450	240	140	108	100	620	560	235		
Plinth	555-575	405-457	285	555-575	405-457	305	555-575	450	240	124	100	100	636	518	235		
Plinth	535-575	335-435	235	535-575	335-435	150	540-575	335-435	138	114	100	72	636	518	135		
Plinth	555-575	405-457	285	555-575	405-457	305	555-575	335-435	120	122	108	100	638	515	186		
Plinth	535-575	335-435	200	535-575	335-435	150	535-575	335-435	120	112	100	72	638	515	115		
Plinth	555-575	405-457	285	555-575	405-457	305	555-575	450	240	135	108	100	625	529	235		
Plinth	540-575	335-435	235	540-575	335-435	165	540-575	335-435	138	120	100	72	630	529	135		
Plinth	535-575	335-435	200	535-575	335-435	150	535-575	335-435	120	165	100	72	585	450	115		
Plinth Plinth	555-575 535-575	405-457 335-435	218	555-575 535-575	405-457 335-435	305 150	555-575 535-575	450 335-435	186	161	125	100 72	599 585	492 450	186		
L&W	555-575	405-457	285	555-575	405-457	305	555-575	450	240	88	100	85	612	505	235		
L&W	555-575	405-457	285	555-575	405-457	305	555-575	450	240	138	65	100	622	631	235		
Wall	555-575	405-457	250	555-575	405-457	270	555-575	450	205	156	10	85	702	594	201		
Wall Wall	555-575 540-575	405-457 336-435	285 235	555-575 540-575	405-457 336-435	305 165	555-575 540-575	450 336-435	240 138	60 122	10 100	85 60	640 640	930 841	235 135		
Plinth	555-575	405-457	285	555-575	405-457	305	555-575	450	240	139	100	100	621	530	235		
Plinth	540-575	335-435	235	540-575	335-435	165	540-575	335-435	138	139	100	72	621	530	135		
Plinth	555-575	405-457	218	555-575	405-475	305	555-575	450	186	161	125	100	599	492	186		
Plinth	535-575	335-435	200	535-575	335-435	150	535-575	335-435	120	165	100	72	585	450	115		
Plinth	460-560	380	193	n/a	n/a	n/a	n/a	n/a	n/a	860	125	75	n/a	400	193*		
Plinth	460-560	380	193	n/a	n/a	n/a	n/a	n/a	n/a	860	125	75	n/a	372	193*		
inth^ L&W	460-560 n/a	486 n/a	270 n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	860 830	178 75	75 n/a	225 670	470 657	335* 247*		
Plinth	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	163	102	n/a	607	487	110		
Plinth Plinth	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	n/a n/a	163 145	102 102	n/a n/a	607 636	487 518	110 110		
Plinth	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	n/a	163	102	n/a	637	545	133		
L&W	550-610	305-432	165	560-610	407-432	165	550-610	305-432	63	150	100	100	655	657	247*		
L&W	550-610	305-432	165	560-610	407-432	165	550-610	305-432	63	150	100	100	643	632	212 *		
L&W	535-610	305-440	165	525-610	380-440	165	525-610	305-440	63	90	50	50	633	620	205 *		
L&W	544-610	305-440	165	544-610	380-440	165	544-610	305-440	63	90	50	50	609	708	177*		
L&W	544-610	305-440	165	544-610	380-440	165	544-610	305-440	63	90	50	50	610	713	177*		
L&W	544-610	305-440	165	544-610	380-440	165	544-610	305-440	63	95	100	50	609	713	194		
L&W	544-610	305-440	165	544-610	380-440	165	544-610	305-440	63	90	50	50	610	713	177*		
L&W	550-610	305-440	165	550-610	380-440	165	525-610	305-440	63	95	48	50	625	657	204*		
L&W	525-610	305-440	165	525-610	440-380	165	525-610	305-440	63	95	100	50	630	634	53 411*		
										-	-	-	609	530	340*		
										-	-	-	535	405	350*		
										-	-	-	535 497	485 405	390 * 345 *		
										-	-	-	458	355	350 *		

The right to change specification without prior notice is reserved. No liability is accepted for problems caused by poor installation or misuse of product.

Efficiencies

Efficiencies quoted on the product pages are quoted in nett.calorific value. This is to aid comparison of efficiencies across manufacturers. To use the efficiency value as part of the UK government SAP energy rating of dwellings, then gross efficiency should be used. For details of gross efficiency please refer to the installation manual which is available online at www.valor.co.uk

Appliance Dimensions



Accessories

Valor can supply a range of accessories in order to tailor installation requirements

LPG kits

Order Code Description

0595211 - For use with Deep fuelbed 0595221 - For use with Slimline fuelbed 0595271 - For use with Eminence only

Vitreous Enamel Stove Flue Pipes

Order code Description

0591241 - 5" x 1000mm Flue length 0591251 - 5" x 500mm Flue length 0591231 - 4"-5" Flue increaser 0591261 - 5" x 90 Degree tee 0591271 - 5" x Soot box 0591281 - 5" Steel clip

Spacer kits

Order code Description

0595131 - 3" (75mm) Spacer kit for balanced flue inset fires 0595121 - 5" (125mm) Spacer kit for balanced flue inset fires

Add in Boilers - for use with Arden, Willow & Hamlet wood burning stoves

Order code Description

AIB7 - Add in boiler type 7-1.5kW for Willow AIB0 - Add in boiler type 0-1.6kW for Arden AIB8 - Add in boiler type 8-2.2kW for Hamlet

General

Order code Description

0552301 - Replacement chair brick box inc black & brass trims
0552331 - Chrome trim only (for use with replacement chair brick box)

0595191 - Flue spigot extension for radiant fires 05337W2 - Electronic battery ignition kit for radiant fires 0583141 - Timber frame kit for balanced flue fires

As with all products from Valor Fires you can be assured of the following:

Quality

Every single fire manufactured at our purpose built factory in Erdington is gas and leak tested for your peace of mind. Our products are manufactured in accordance with the internationally recognised Quality Management System Standard ISO 9000:2001.

Gas safety

All our fires are fitted with a flame safety device which cuts off the gas in the unlikely event that the pilot flame is blown out, plus our Oxysafe system which monitors the level of oxygen in the room and cuts off the fire if there is insufficient oxygen in the room.

After sales service

We are so sure of the quality of our fires that in the unlikely event of any mechanical problems during the warranty period we will send out one of our expert Heateam engineers to rectify the problem free of charge*.

General Notes

All gas appliances must be installed by a competent Gas safe Registered Installer and in accordance with the manufacturer's installation instructions and they should not be fitted directly onto a carpet or floor of combustible materials. Please note that certain parts of the appliance will become hot.

A suitable guard is therefore recommended where the very young or infirm are concerned. Our policy is one of continual improvement and development. The right to change specification without prior notice is reserved. Reproduction of colours is as accurate as photographic and printing processes will allow. The statutory rights of the consumer are not affected. *No liability is accepted for problems caused by poor installation or misuse of the product.







Valor Fires are delighted to join COCAA to keep harmful products of combustion out of the living room.



heateam is a Baxi Heating UK operation dedicated to providing state-of-the-art customer service. Its role is to support our products long after they leave our factory. Tel: 0844 871 1565. Email: service@heateam.co.uk







for further details of our other product ranges and to request your brochure

Please call 0844 871 1565

Valor Fires, Wood Lane, Erdington, Birmingham B24 9QP.

Baxi Heating U.K. Ltd. is a company registered in England and Wales with company number 03879156

Registered office: The Wyvern Business Park, Stanier Way, Derby, DE21 6BF.





www.valor.co.uk tel: 0844 871 1565

